1999 ANNUAL INDEXES

Textile Research Journal

Volume 69

AUTHOR AND TITLE INDEX, pp. 965–972

MONTH	PAGES
January	1–76
February	77–154
March	155–232
April	233–310
May	311–388
June	389–466

SUBJECT INDEX, pp. 973–982

MONTH	PAGES
July	467–544
August	545–622
September	623–700
October	701–794
November	795–888
December	889–982

AUTHOR AND TITLE INDEX

Acar, M. Effect of Geometry on the Performance of Intermingling Nozzles (*Versteeg, Bilgin*) 545

Adanur, Sabit Computerized Failure Analysis of Nonwoven Fabrics Based on Fiber Failure Criterion (*Liao*) 489

Fiber Arrangement Characteristics and Their Effects on Nonwoven Tensile Behavior (*Liao*) 816

Adolphe, D. Image Analysis Tools to Study Nonwovens (*Thorr, Dréan*) 162

Laser Doppler Anemometry for an Experimental Study of Flow Through Geotextiles: Influence of the Manufacturing Process (*Saidi, Dréan*) 10

Akin, Danny E. Quality Properties of Flax Fibers Retted with Enzymes (*Rigsby, Perkins*) 747

Anand, Subhash C. Effects of Laundering on the Sensory and Mechanical Properties of 1 × 1 Rib Knitwear Fabrics Part II: Changes in Sensory and Mechanical Properties (*Mackay, Bishop*) 252

Anandjiwala, Rajesh D. Structure-Property Relationship of Blended Cotton Yarns Made from Low and High Tenacity Fibers (*Goswami, Bragg, Bargeron*) 129

Ariadurai, S. Anbahan Modeling the In-Plane Permeability of Woven Geotextiles (*Potluri, Whyte*) 345

Aubry, E. Vibrating Properties of Textile Surfaces (*Postle, Renner*) 335

Aydogmus, Yasemin Spinning Limits of the Friction Spinning System (DREF-III) (*Behery*) 925

Azuma, Yoshiaki Light Transmittivity of an Extended Circular Plain Knitted Fabric (*Matsumoto, Shinohara, Takatera, Morooka*) 641

Balcar, G. Cotton Fiber Length Changes in the Spinning Process on the Basis of AFIS Measurements (*Żurek, Greszta, Frydrych*) 804

Bandukda, Z. Computer Simulation of Cone Winding Mechanisms with Constant Rate of Yarn Delivery Systems (*Porat, Greenwood*) 113

Barella, Alberto Viscoelastic Behavior of Polypropylene Fibers (*Manich, Ussman*) 325

Bargeron, Jefferson D. Structure-Property Relationship of Blended Cotton Yarns Made from Low and High Tenacity Fibers (*Anandjiwala, Goswami, Bragg*) 129

Barnes, J. C. Reply to "Comments on 'Moisture Sorption and Transport in Clothing During Wear' " (*Holcombe*) 464

Bassett, Richard J. Experimental Methods for Measuring Fabric Mechanical Properties: A Review and Analysis (*Postle, Pan*) 866

Batra, Subhash K. Carding Dynamics Part I: Previous Studies of Fiber Distribution and Movement in Carding (*Meng, Seyam*) 90

Influence of Fiber Structure on Properties of Thermally Point Bonded Polypropylene Nonwovens (*Dharmadhikary, Davis, Gilmore*) 725

Behery, Hassan M. Spinning Limits of the Friction Spinning System (DREF-III) (*Aydogmus*) 925

Belkacemi, Khaled Air Flow Through Textiles at High Differential Pressures (*Broadbent*) 52

Benjamin, Y. N. Surface Resistivity Behavior of Plasma Treated and Plasma Grafted Cotton and Polyester Fabrics (*Bhat*) 38

Berger, X. Comments on "Moisture Sorption and Transport in Clothing During Wear" 463

Bernard, P. Color Measurement of Pile Fabrics (*Vanderhaeghen, Kiekens*) 552

Bernardin, C. Characterizing Single Fibers with a Profile Meter (*Longrée, Delfosse, Lemaire, Paquet, Knott*) 352

Berton, G. Numerical Simulation of Filtration Flow Through and Around Textile Fibers (*Sigli*) 318

Bertoniere, Noelie Effect of Fiber Structure on Heat of Wetting of Cotton and Regenerated Cellulosic Fibers (*Mizutani, Tsujii*) 559

Bhat, N. V. Surface Resistivity Behavior of Plasma Treated and Plasma Grafted Cotton and Polyester Fabrics (*Benjamin*) 38

Bhortakke, M. K. The Structure of Polyester/Cotton Blended Air-Jet Spun Yarn (*Nishimura, Matsuo*) 84

Bilgin, S. Effect of Geometry on the Performance of Intermingling Nozzles (*Versteeg, Acar*) 545

Bishop, David P. Effects of Laundering on the Sensory and Mechanical Properties of 1 × 1 Rib Knitwear Fabrics Part II: Changes in Sensory and Mechanical Properties (*Mackay, Anand*) 252

Bragg, Charles K. Structure-Property Relationship of Blended Cotton Yarns Made from Low and High Tenacity Fibers (*Anandjiwala, Goswami, Bargeron*) 129

Bresee, Randall R. Flexible Multifunction Instrument for Automated Nonwoven Web Structure Analysis (*Yan*) 795

Broadbent, Arthur D. Air Flow Through Textiles at High Differential Pressures (*Belkacemi*) 52

Bueno, Marie-Ange Noncontact Measurements of Sanding and Raising Effects (*Durand, Renner*) 570
Buschle-Diller, G. Mechanical Agitation of Cotton Fabrics During Enzyme Treatment and Its Effect on Tactile Properties (*Radhakrishnaiah, Meng, Huang, Walsh*) 708
Structural Changes in Hemp Fibers as a Result of Enzymatic Hydrolysis with Mixed Enzyme Systems (*Fanter, Loth*) 244

Cai, Y. A New Method for Improving the Dyeability of Cotton with Reactive Dyes (*Pailthorpe, David*) 440
Calamari, Timothy A. Preparing and Characterizing Kenaf/Cotton Blended Fabrics (*Tao, Yu, Chen*) 720
Camirand, Wayne Clarity of Films from Wool Keratin (*Pavlath, Houssard, Robertson*) 539
Carr, W. W. Effects of Moisture and Fiber Type on Infrared Absorption of Fabrics (*McFarland, Sarma, Dorrity*) ... 607
Caze, C. Graft Copolymerization of Polyester Fibers with a Fluorine-Containing Monomer (*Louati, ElAchari, Ghenaim*) 381
Chan, K. Low Temperature Plasma on Wool Substrates: The Effect of the Nature of the Gas (*Kan, Yuen, Miao*) 407
Chang, Lingli An Experimental Study of the Effect of Test Speed on Yarn Hairiness (*Wang*) 25
Chern, Guorong A Computer Simulation Based Scheduler for Woven Fabric Production (*Harlock*) 431
Chen, Jyh-Yeow Fiber Recognition and Distribution Analysis of PET/Rayon Composite Yarn Cross Sections Using Image Processing Techniques (*Chiu, Lee*) 417
Chen, X. CAD/CAM of Orthogonal and Angle-Interlock Woven Structures for Industrial Applications (*Potiyaraj*) 648
Chen, Y. Predicting the Performance of Fabrics in Garment Manufacturing with Artificial Neural Networks (*Gong*) 477
Chen, Yan Preparing and Characterizing Kenaf/Cotton Blended Fabrics (*Tao, Calamari, Yu*) 720
Cheng, Luo Color Grading of Cotton Part I: Spectral and Color Image Analysis (*Duckett, Zapletalova, Ghorashi, Watson*) 876
Part II: Color Grading with an Expert System and Neural Networks (*Ghorashi, Duckett, Zapletalova, Watson*) ... 893
Cherkassky, Arkady Evaluating Nonwoven Fabric Irregularity on the Basis of Linnik Functionals 701
Chern, Horng-Ming Image Analysis of Composite Yarn Cross Sections (*Su, Leu*) 203
Chiu, Shih-Hsuan Fiber Recognition and Distribution Analysis of PET/Rayon Composite Yarn Cross Sections Using Image Processing Techniques (*Chen, Lee*) 417
Cho, Dae Hwan A New Objective Method of Measuring Fabric Wrinkles Using a 3-D Projecting Grid Technique (*Kang, Whang*) 261
Cho, Gilsoo Antimicrobial and Blood Repellent Finishes for Cotton and Nonwoven Fabrics Based on Chitosan and Fluoropolymers (*Lee, Cho*) 104
Cho, Jeong-Sook Antimicrobial and Blood Repellent Finishes for Cotton and Nonwoven Fabrics Based on Chitosan and Fluoropolymers (*Lee, Cho*) 104
Chung, Kwansoo Evaluating Yarn Crimp with Fractal Geometry (*Kang, Lee, Lee*) 527
Church, J. S. A Comparison of Vibrational Spectroscopic Methods for Analyzing Wool/Polyester Textile Blends (*O'Neill, Woodhead*) 676
Coderch, L. Complementary Study of Optimizing a Wool Dyeing Process with Commercially Available Liposomes (*Manich, Marti, de la Maza, Parra, Serra*) 789
Convert, R. An Application of the Kubelka-Munck Relationship to Calculate the Color Fastness of a Fabric (*Schacher, Viallier*) 357
Cram, Lisa Proteases as Scouring Agents for Cotton (*Hsieh*) 590
Cuesta, A. Shrinkage Properties of Wool Treated with Low Temperature Plasma and Chitosan Biopolymer (*Erra, Molina, Jocic, Julia, Tascon*) 811
Cui, Shi-Zhong Nonlinear Creep Characterization of Textile Fabrics (*Wang*) 931
Cui, Xiaoliang Tensile Behavior of Slack Fiber Bundles—Theory and Application to HVI Testing (*Suh, Sasser*) 497
Cui, Y. Analyzing Convective Heat and Mass Transfer in Through-Air Drying of Fabrics (*Ramaswamy*) 776
Cybulska, Maria Assessing Yarn Structure with Image Analysis Methods 369

Dai, Jinrong Single Fiber Acoustic Emission and Tensile Properties from Cotton Bundle Fracture Tests (*Velu, Ellison, Rogers*) 616
Datta, Asit K. Defect Detection in Fabrics with a Joint Transform Correlation Technique: Theoretical Basis and Simulation (*Mallik*) 829
David, S. K. A New Method for Improving the Dyeability of Cotton with Reactive Dyes (*Cai, Pailthorpe*) 440
Davidonis, G. H. The Cotton Fiber Property Variability Continuum from Motes Through Seeds (*Johnson, Landivar, Hood*) 754
Davis, Hawthorne Influence of Fiber Structure on Properties of Thermally Point Bonded Polypropylene Nonwovens (*Dharmadhikary, Gilmore, Batra*) 725
de la Maza, A. Complementary Study of Optimizing a Wool Dyeing Process with Commercially Available Liposomes (*Coderch, Manich, Marti, Parra, Serra*) 789
Delavael, Y. Tensile and Unixial Fatigue Behavior of Poly(*p*-Phenylene-co-3,4′-Oxydiphenylene Terephthalamide) Fibers: Relationship with Chain Orientation (*Ferreira, Lam, Labache*) 30
Delfosse, P. Characterizing Single Fibers with a Profile Meter (*Longrée, Bernardin, Lemaire, Paquet, Knott*) 352
Dent, R. Measuring Fiber Diameter Distribution in Nonwovens (*Pourdeyhimi*) 233
Measuring Fiber Orientation in Nonwovens Part V: Real Webs (*Pourdeyhimi, Jerbi, Tanaka, Deshpande*) 185
Deshpande, A. Measuring Fiber Orientation in Nonwovens Part V: Real Webs (*Pourdeyhimi, Dent, Jerbi, Tanaka*) 185
Dharmadhikary, Rahul K. Influence of Fiber Structure on Properties of Thermally Point Bonded Polypropylene Nonwovens (*Davis, Gilmore, Batra*) 725
Dorrity, J. L. Effects of Moisture and Fiber Type on Infrared Absorption of Fabrics (*McFarland, Carr, Sarma*) 607
Dréan, Jean-Yves A New Apparatus and Method for Tensile Testing at High Strain Rates (*Freyburger, Madrolle, Marques, Silva*) 220
Image Analysis Tools to Study Nonwovens (*Thorr, Adolphe*) 162
Laser Doppler Anemometry for an Experimental Study of Flow Through Geotextiles: Influence of the Manufacturing Process (*Saidi, Adolphe*) 10
Duckett, Kermit Color Grading of Cotton Part I: Spectral and Color Image Analysis (*Zapletalova, Cheng, Ghorashi, Watson*) 876
Part II: Color Grading with an Expert System and Neural Networks (*Cheng, Ghorashi, Zapletalova, Watson*) 893
Durand, Bernard Noncontact Measurements of Sanding and Raising Effects (*Bueno, Renner*) 570

ElAchari, A. Graft Copolymerization of Polyester Fibers with a Fluorine-Containing Monomer (*Louati, Ghenaim, Caze*) 381
Ellison, Michael S. Single Fiber Acoustic Emission and Tensile Properties from Cotton Bundle Fracture Tests (*Velu, Dai, Rogers*) 616
El-Shiekh, Aly Carding Dynamics Part II: Development of a *Device for On-Line Measurement of Two-Dimen-*

sional Fiber Loading on Card Elements (*Seyam, Meng*) 155
Erra, P. Shrinkage Properties of Wool Treated with Low Temperature Plasma and Chitosan Biopolymer (*Molina, Jocic, Julia, Cuesta, Tascon*) 811

Fan, J. Objective Evaluation of Pucker in Three-Dimensional Garment Seams (*Lu, MacAlpine, Hui*) 467
Fang, C. Clustering Analysis for Cotton Trash Classification (*Xu, Watson*) 656
Fanter, C. Structural Changes in Hemp Fibers as a Result of Enzymatic Hydrolysis with Mixed Enzyme Systems (*Buschle-Diller, Loth*) 244
Faught, Sherman E. Headspace Resistance Standards for the Shirley Developments Ltd. Micromat Tester (*Montalvo*) . 269
Ferreira, M. Tensile and Uniaxial Fatigue Behavior of Poly(*p*-Phenylene-co-3,4′-Oxydiphenylene Terephthalamide) Fibers: Relationship with Chain Orientation (*Lam, Labache, Delavael*) 30
Fischer, P. Simulating the Drape Behavior of Fabrics (*Krzywinski, Rödel, Schenk, Ulbricht*) 331
Freeman, Harold S. Molecular Modeling in Dye Chemistry: Studies Involving Two Disperse Dyes (*Lye, Hinks*) 583
Freyburger, Jean-Marie A New Apparatus and Method for Tensile Testing at High Strain Rates (*Dréan, Madrolle, Marques, Silva*) 220
Frydrych, I. Cotton Fiber Length Changes in the Spinning Process on the Basis of AFIS Measurements (*Żurek, Greszta, Balcar*) 804
Fukatsu, K. Bleaching Cotton Fabric with Electrogenerated Oxygen—The Role of Hydroxyl and Superoxide Radicals (*Kokot, Schweinsberg*) 769

Ghenaim, A. Graft Copolymerization of Polyester Fibers with a Fluorine-Containing Monomer (*Louati, ElAchari, Caze*) 381
Ghorashi, Hossein Color Grading of Cotton Part I: Spectral and Color Image Analysis (*Duckett, Zapletalova, Cheng, Watson*) 876
Part II: Color Grading with an Expert System and Neural Networks (*Cheng, Duckett, Zapletalova, Watson*) 893
Ghosh, Tushar K. On-Line Measurement of Fabric Bending Behavior Part III: Dynamic Considerations and Experimental Implementation (*Zhou*) 176
Gibson, Phillip Humidity-Dependent Air Permeability of Textile Materials (*Rivin, Kendrick, Schreuder-Gibson*) 311
Gillingham, Estelle L. An FTIR Study of Anhydride Formation on Heating Butane-Tetracarboxylic Acid in the Presence of Various Catalysts (*Lewis, Voncina*) 949
Gilmore, Thomas F. Influence of Fiber Structure on Properties of Thermally Point Bonded Polypropylene Nonwovens (*Dharmadhikary, Davis, Batra*) 725
Godfrey, Thomas A. A Parameter for Comparing the Damage Tolerance of Stressed Plain Weave Fabrics (*Rossettos*) 503
Gong, R. H. Predicting the Performance of Fabrics in Garment Manufacturing with Artificial Neural Networks (*Chen*) 477
Goswami, Bhuvenesh C. Steady-State Unwinding of Yarn from Cylindrical Packages (*Kong, Rahn*) 292
Structure-Property Relationship of Blended Cotton Yarns Made from Low and High Tenacity Fibers (*Anandjiwala, Bragg, Bargeron*) 129
Greenwood, K. Computer Simulation of Cone Winding Mechanisms with Constant Rate of Yarn Delivery Systems (*Porat, Bandukda*) 113
Greszta, M. Cotton Fiber Length Changes in the Spinning Process on the Basis of AFIS Measurements (*Żurek, Frydrych, Balcar*) 804
Grigoras, Stelian Fundamental Aspects of Aminoalkyl Siloxane Softeners by Molecular Modeling and Experimental Methods (*Skinner, Qian, Halloran, Zimmerman*) 935

Haga, T. Bending and Shear Properties of Cotton Fabrics Subjected to Cellulase Treatment (*Mori, Takagishi*) 742
Hall, David M. Using Light and Scanning Electron Microscopic Methods to Differentiate Ibex Goat and Tibetan Antelope Fibers (*Rollins*) 856
Halloran, Daniel J. Fundamental Aspects of Aminoalkyl Siloxane Softeners by Molecular Modeling and Experimental Methods (*Skinner, Qian, Grigoras, Zimmerman*) 935
Harlock, S. C. A Computer Simulation Based Scheduler for Woven Fabric Production (*Chen*) 431
Hashimoto, Toshimasa Flame Retardation of Cellulosic Fibers Characterized by Apparent Activation Energy of Thermal Degradation (*Nakanishi, Morikawa*) 208
Hatakeyama, T. Thermal Decomposition Behavior of Polyester Fabrics Treated with a Bromine-Containing Compound (*Kubokawa, Tsunesada*) 121
Hinks, David Molecular Modeling in Dye Chemistry: Studies Involving Two Disperse Dyes (*Lye, Freeman*) 583
Hoersting, Karlheinz Low Cost Tangential Bobbin Creel for Twist-Free Intermittent Reinforcement Fiber Placement (*Wienands*) 389
Holcombe, B. V. Reply to "Comments on 'Moisture Sorption and Transport in Clothing During Wear' " (*Barnes*) 464
Hood, Kenneth B. The Cotton Fiber Property Variability Continuum from Motes Through Seeds (*Davidonis, Johnson, Landivar*) 754
Horrocks, A. Richard Complex Char Formation in Flame-Retarded Fiber/Intumescent Combinations: Physical and Chemical Nature of Char (*Kandola*) 374
Houssard, Catherine Clarity of Films from Wool Keratin (*Pavlath, Camirand, Robertson*) 539
Hsieh, Chien-Teng Theoretical Control and Experimental Verification of Carded Web Density Part III: Neural Network Controller Design (*Kuo, Wang*) 401
Hsieh, You-Lo Proteases as Scouring Agents for Cotton (*Cram*) 590
Hsing, Wen-Hao Transmissivity Behavior of Layered Needlepunched Nonwoven Geotextiles (*Hwang, Lu, Lin, Hwu*) 565
Hu, Jinlian Characterizing and Modeling Bending Properties of Multiaxial Warp Knitted Fabrics (*Jiang, Ko*) 691
Huang, Chang-Chiun Control of Dye Concentration, pH, and Temperature in Dyeing Processes (*Yu*) 914
Control of Tension and Line Speed in Fabric Finishing (*Soong*) 714
Huang, Gan Mechanical Agitation of Cotton Fabrics During Enzyme Treatment and Its Effect on Tactile Properties (*Radhakrishnaiah, Meng, Buschle-Diller, Walsh*) 708
Huang, Wei Effect of Test Speed and Twist Level on the Hairiness of Worsted Yarns (*Wang, Huang*) 889
Huang, Xiubao Effect of Test Speed and Twist Level on the Hairiness of Worsted Yarns (*Wang, Huang*) 889
Hui, C. L. P. Objective Evaluation of Pucker in Three-Dimensional Garment Seams (*Fan, Lu, MacAlpine*) 467
Hwang, Gin-Shing Transmissivity Behavior of Layered Needlepunched Nonwoven Geotextiles (*Lu, Lin, Hwu, Hsing*) 565
Hwang, Young-Gu Measuring and Fuzzy Predicting Total Handle from Selected Mechanical Properties of Double Weft-Knitted Fabrics (*Park*) 19
Hwu, Bao-Lin Transmissivity Behavior of Layered Needlepunched Nonwoven Geotextiles (*Hwang, Lu, Lin, Hsing*) 565

Imamura, Toshikatsu Dyeing Behavior of Silk Proteins in Relation to Silkworm Diet (*Ito, Sasaki, Mori, Matsubara*) 825

Ito, Hiraku Dyeing Behavior of Silk Proteins in Relation to Silkworm Diet (*Sasaki, Imamura, Mori, Matsubara*) ... 825
Dyeing Kinetics of CI Acid Orange 7 in Multiple Layers of a Chemically Modified Wool Fabric (*Sasaki, Morikawa*) ... 944
Penetration of Multifunctional Epoxide into Wool and Its Effect on Shrink Resistance (*Sasaki, Tsuji, Kohjiya*) ... 473
Iwasaki, T. Decoloration of Azo Dyes by Hydrogen Peroxide Catalyzed by Water-Soluble Manganese Porphyrins (*Tokuda, Ohura, Takeuchi, Kashiwada, Nango*) 956

Jerbi, A. Measuring Fiber Orientation in Nonwovens Part V: Real Webs (*Pourdeyhimi, Dent, Tanaka, Deshpande*) 185
Jiang, Yaming Characterizing and Modeling Bending Properties of Multiaxial Warp Knitted Fabrics (*Hu, Ko*) 691
Jocic, D. Shrinkage Properties of Wool Treated with Low Temperature Plasma and Chitosan Biopolymer (*Erra, Molina, Julia, Cuesta, Tascon*) 811
Johnson, A. The Cotton Fiber Property Variability Continuum from Motes Through Seeds (*Davidonis, Landivar, Hood*) 754
Julia, M. R. Shrinkage Properties of Wool Treated with Low Temperature Plasma and Chitosan Biopolymer (*Erra, Molina, Jocic, Cuesta, Tascon*) 811

Kan, C. W. Low Temperature Plasma on Wool Substrates: The Effect of the Nature of the Gas (*Chan, Yuen, Miao*) ... 407
Kandola, Baljinder K. Complex Char Formation in Flame-Retarded Fiber/Intumescent Combinations: Physical and Chemical Nature of Char (*Horrocks*) 374
Kang, Tae Jin A New Objective Method of Measuring Fabric Wrinkles Using a 3-D Projecting Grid Technique (*Cho, Whang*) 261
Automatic Recognition of Fabric Weave Patterns by Digital Image Analysis (*Kim, Oh*) 77
Evaluating Yarn Crimp with Fractal Geometry (*Lee, Chung, Lee*) 527
Objective Evaluation of Seam Pucker Using Artificial Intelligence Part I: Geometric Modeling of Seam Pucker (*Park*) 735
Part II: Method of Evaluating Seam Pucker (*Park*) 835
Part III: Using the Objective Evaluation Method to Analyze the Effects of Sewing Parameters on Seam Pucker (*Park*) 919
Kashiwada, A. Decoloration of Azo Dyes by Hydrogen Peroxide Catalyzed by Water-Soluble Manganese Porphyrins (*Tokuda, Ohura, Iwasaki, Takeuchi, Nango*) 956
Kato, Hisaaki Yarn Tail Structure in Friction Spinning (*Konda, Okamura, Merati, Saeki*) 214
Kawahara, Yutaka Immobilizing Glucose Oxidase in Tussah Silk Fibers 151
Transverse Long Period in Wet Silk Fibers (*Shioya*) 791
Kendrick, Cyrus Humidity-Dependent Air Permeability of Textile Materials (*Gibson, Rivin, Schreuder-Gibson*) 311
Kiekens, P. Color Measurement of Pile Fabrics (*Bernard, Vanderhaeghen*) 552
Kildesø, Jan A Simple Method for Measuring the Potential Resuspension of Dust from Carpets in the Indoor Environment (*Vinzents, Schneider, Kloch*) 169
Kim, Chang Hoon Automatic Recognition of Fabric Weave Patterns by Digital Image Analysis (*Kang, Oh*) 77
Kim, Eui Hwa Objective Evaluation of Wrinkle Recovery ... 860
Kim, Jai O. Dynamic Moisture Vapor Transfer Through Textiles Part III: Effect of Film Characteristics on Microclimate Moisture and Temperature Changes 193
Objective Evaluation of Fabric Hand Part I: Relationships of Fabric Hand by the Extraction Method and Related Physical and Surface Properties (*Slaten*) 59
Kim, Jae-Pil Preparing Chito-Oligosaccharides as Antimicrobial Agents for Cotton (*Seong, Kim*) 483
Kisilak, Dragica A New Method of Evaluating Spherical Fabric Deformation 908
Kloch, Niels Peter A Simple Method for Measuring the Potential Resuspension of Dust from Carpets in the Indoor Environment (*Kildesø, Vinzents, Schneider*) 169
Knott, J. Characterizing Single Fibers with a Profile Meter (*Longrée, Bernardin, Delfosse, Lemaire, Paquet*) 352
Ko, Frank Characterizing and Modeling Bending Properties of Multiaxial Warp Knitted Fabrics (*Jiang, Hu*) 691
Ko, Sohk-Won Preparing Chito-Oligosaccharides as Antimicrobial Agents for Cotton (*Seong, Kim*) 483
Kohjiya, Shinzo Penetration of Multifunctional Epoxide into Wool and Its Effect on Shrink Resistance (*Ito, Sasaki, Tsuji*) 473
Kokot, S. Bleaching Cotton Fabric with Electrogenerated Oxygen—The Role of Hydroxyl and Superoxide Radicals (*Fukatsu, Schweinsberg*) 769
Konda, Fujio Yarn Tail Structure in Friction Spinning (*Kato, Okamura, Merati, Saeki*) 214
Kong, Xiang Ming Steady-State Unwinding of Yarn from Cylindrical Packages (*Rahn, Goswami*) 292
Koo, Hyun-Jin Maximizing Yarn and Fabric Strength Through Variance of HVI Elongation (*Suh*) 447
Krucinska, I. Evaluating Fibrous Architecture of Nonwovens with Computer-Assisted Microscopy (*Krucinski*) 363
Krucinski, S. Evaluating Fibrous Architecture of Nonwovens with Computer-Assisted Microscopy (*Krucinska*) 363
Krzywinski, S. Simulating the Drape Behavior of Fabrics (*Fischer, Rödel, Schenk, Ulbricht*) 331
Kubokawa, H. Thermal Decomposition Behavior of Polyester Fabrics Treated with a Bromine-Containing Compound (*Tsunesada, Hatakeyama*) 121
Kuo, Chung-Feng Jeffrey Theoretical Control and Experimental Verification of Carded Web Density Part II: Pole Placement Design Through State Feedback (*Liu*) 237
Part III: Neural Network Controller Design (*Wang, Hsieh*) . 401

Labache, P. Tensile and Unixial Fatigue Behavior of Poly(*p*-Phenylene-co-3,4′-Oxydiphenylene Terephthalamide) Fibers: Relationship with Chain Orientation (*Ferreira, Lam, Delavael*) 30
Lam, T. M. Tensile and Unixial Fatigue Behavior of Poly(*p*-Phenylene-co-3,4′-Oxydiphenylene Terephthalamide) Fibers: Relationship with Chain Orientation (*Ferreira, Labache, Delavael*) 30
Landivar, Juan A. The Cotton Fiber Property Variability Continuum from Motes Through Seeds (*Davidonis, Johnson, Hood*) 754
Lee, Jae Yeol Evaluating Yarn Crimp with Fractal Geometry (*Kang, Chung, Lee*) 527
Lee, Jun-Huei Fiber Recognition and Distribution Analysis of PET/Rayon Composite Yarn Cross Sections Using Image Processing Techniques (*Chiu, Chen*) 417
Lee, Seung Goo Evaluating Yarn Crimp with Fractal Geometry (*Kang, Lee, Chung*) 527
Lee, Seungsin Antimicrobial and Blood Repellent Finishes for Cotton and Nonwoven Fabrics Based on Chitosan and Fluoropolymers (*Cho, Cho*) 104
Leeder, John D. Comments on "Pathways for Aqueous Diffusion in Keratin Fibers" 229
Lemaire, P. Characterizing Single Fibers with a Profile Meter (*Longrée, Bernardin, Delfosse, Paquet, Knott*) 352
Leu, Ching-Shyang Image Analysis of Composite Yarn Cross Sections (*Su, Chern*) 203
Lewis, David M. An FTIR Study of Anhydride Formation on Heating Butane-Tetracarboxylic Acid in the Presence of Various Catalysts (*Gillingham, Voncina*) 949
Li, Yi An Improved Mathematical Simulation of the Coupled Diffusion of Moisture and Heat in Wool Fabric (*Luo*) 760
Fabric Bagging Part I: Subjective Perception and Psycho-

physical Mechanism (*Zhang, Yeung, Yao*) 511
Part II: Objective Evaluation and Physical Mechanism (*Zhang, Yeung, Yao*) 598
Liao, Tianyi Computerized Failure Analysis of Nonwoven Fabrics Based on Fiber Failure Criterion (*Adanur*) 489
Fiber Arrangement Characteristics and Their Effects on Nonwoven Tensile Behavior (*Adanur*) 816
Lin, Ming-Fung Transmissivity Behavior of Layered Needlepunched Nonwoven Geotextiles (*Hwang, Lu, Hwu, Hsing*) 565
Liu, Chien-Hui Theoretical Control and Experimental Verification of Carded Web Density Part II: Pole Placement Design Through State Feedback (*Kuo*) 237
Longrée, M. Characterizing Single Fibers with a Profile Meter (*Bernardin, Delfosse, Lemaire, Paquet, Knott*) 352
Loth, F. Structural Changes in Hemp Fibers as a Result of Enzymatic Hydrolysis with Mixed Enzyme Systems (*Buschle-Diller, Fanter*) 244
Louati, M. Graft Copolymerization of Polyester Fibers with a Fluorine-Containing Monomer (*ElAchari, Ghenaim, Caze*) 381
Lu, Chiu-Kuang Transmissivity Behavior of Layered Needlepunched Nonwoven Geotextiles (*Hwang, Lin, Hwu, Hsing*) 565
Lu, D. Objective Evaluation of Pucker in Three-Dimensional Garment Seams (*Fan, MacAlpine, Hui*) 467
Lu, Yun Fabric Yellowing Caused by Citric Acid as a Crosslinking Agent for Cotton (*Yang*) 685
In-situ Polymerization of Maleic Acid and Itaconic Acid and Crosslinking of Cotton Fabric (*Yang*) 782
Luo, Zhongxuan An Improved Mathematical Simulation of the Coupled Diffusion of Moisture and Heat in Wool Fabric (*Li*) 760
Lye, Jason Molecular Modeling in Dye Chemistry: Studies Involving Two Disperse Dyes (*Freeman, Hinks*) 583

MacAlpine, J. M. K. Objective Evaluation of Pucker in Three-Dimensional Garment Seams (*Fan, Lu, Hui*) 467
Mackay, Colina Effects of Laundering on the Sensory and Mechanical Properties of 1 × 1 Rib Knitwear Fabrics Part II: Changes in Sensory and Mechanical Properties (*Anand, Bishop*) 252
Madeley, Tony Physical Properties and Processing of Fine Merino Lamb's Wool Part III: Effects of Wool Fiber Curvature on the Handle of Flannel Woven from Woolen Spun Yarn (*Postle*) 576
Madrolle, Francois A New Apparatus and Method for Tensile Testing at High Strain Rates (*Freyburger, Dréan, Marques, Silva*) 220
Mallik, Bithika Defect Detection in Fabrics with a Joint Transform Correlation Technique: Theoretical Basis and Simulation (*Datta*) 829
Manich, Albert M. Complementary Study of Optimizing a Wool Dyeing Process with Commercially Available Liposomes (*Coderch, Marti, de la Maza, Parra, Serra*) .. 789
Viscoelastic Behavior of Polypropylene Fibers (*Ussman, Barella*) 325
Marques, Filipa Alexandra A New Apparatus and Method for Tensile Testing at High Strain Rates (*Freyburger, Dréan, Madrolle, Silva*) 220
Marti, M. Complementary Study of Optimizing a Wool Dyeing Process with Commercially Available Liposomes (*Coderch, Manich, de la Maza, Parra, Serra*) 789
Matsubara, Fujiyoshi Dyeing Behavior of Silk Proteins in Relation to Silkworm Diet (*Ito, Sasaki, Imamura, Mori*) .. 825
Matsumoto, Yo-ichi Light Transmittivity of an Extended Circular Plain Knitted Fabric (*Shinohara, Takatera, Azuma, Morooka*) 641
Reflective Properties of Pantyhose Cloth as Analyzed by an Image Analysis System (*Morooka, Wakashima, Morooka*) 68
Matsuo, T. The Structure of Polyester/Cotton Blended Air-Jet Spun Yarn (*Bhortakke, Nishimura*) 84
McFarland, E. G. Effects of Moisture and Fiber Type on Infrared Absorption of Fabrics (*Carr, Sarma, Dorrity*) 607
Meng, Jian Carding Dynamics Part I: Previous Studies of Fiber Distribution and Movement in Carding (*Seyam, Batra*) . 90
Part II: Development of a Device for On-Line Measurement of Two-Dimensional Fiber Loading on Card Elements (*Seyam, El-Shiekh*) 155
Meng, Xiaomin Mechanical Agitation of Cotton Fabrics During Enzyme Treatment and Its Effect on Tactile Properties (*Radhakrishnaiah, Huang, Buschle-Diller, Walsh*) 708
Merati, Ali Akbar Yarn Tail Structure in Friction Spinning (*Kato, Konda, Okamura, Saeki*) 214
Miao, M. H. Low Temperature Plasma on Wool Substrates: The Effect of the Nature of the Gas (*Kan, Chan, Yuen*) 407
Michielsen, Stephen Using Confocal Raman Microscopy to Determine the Structure and Orientation of the PET Interior of PET/PP Core/Shell Fibers (*Natarajan*) 903
Miwa, Minoru Fatigue Behavior of Aramid Nonwoven Fabrics Under Hot-Press Conditions Part VI: Effect of Stable Base Fabrics on Mechanical Properties (*Watanabe, Yokoi*) ... 1
Mizutani, Chiyomi Effect of Fiber Structure on Heat of Wetting of Cotton and Regenerated Cellulosic Fibers (*Tsujii, Bertoniere*) 559
Molina, R. Shrinkage Properties of Wool Treated with Low Temperature Plasma and Chitosan Biopolymer (*Erra, Jocic, Julia, Cuesta, Tascon*) 811
Montalvo, Joseph G., Jr. Headspace Resistance Standards for the Shirley Developments Ltd. Micromat Tester (*Faught*) 269
Mori, Hajime Dyeing Behavior of Silk Proteins in Relation to Silkworm Diet (*Ito, Sasaki, Imamura, Matsubara*) 825
Mori, R. Bending and Shear Properties of Cotton Fabrics Subjected to Cellulase Treatment (*Haga, Takagishi*) 742
Morikawa, Hideaki Dyeing Kinetics of CI Acid Orange 7 in Multiple Layers of a Chemically Modified Wool Fabric (*Sasaki, Ito*) 944
Morikawa, Junko Flame Retardation of Cellulosic Fibers Characterized by Apparent Activation Energy of Thermal Degradation (*Nakanishi, Hashimoto*) 208
Morooka, Harumi Reflective Properties of Pantyhose Cloth as Analyzed by an Image Analysis System (*Morooka, Wakashima, Matsumoto*) 68
Morooka, Hideo Light Transmittivity of an Extended Circular Plain Knitted Fabric (*Matsumoto, Shinohara, Takatera, Azuma*) 641
Reflective Properties of Pantyhose Cloth as Analyzed by an Image Analysis System (*Wakashima, Matsumoto, Morooka*) 68

Nakajima, Masaru Dimensional Changes in Knitted Silk and Cotton Fabrics with Laundering (*Quaynor, Takahashi*) 285
Nakanishi, Shigeko Flame Retardation of Cellulosic Fibers Characterized by Apparent Activation Energy of Thermal Degradation (*Morikawa, Hashimoto*) 208
Nandy, D. Peculiarities in the Apparent Fading Behavior of Some Reactive Dyes in Binary Mixtures 16
Nango, M. Decoloration of Azo Dyes by Hydrogen Peroxide Catalyzed by Water-Soluble Manganese Porphyrins (*Tokuda, Ohura, Iwasaki, Takeuchi, Kashiwada*) 956
Effect of Surfactants on Decoloration of Various Dyes by Peroxide Bleaching Agents (*Tokuda, Ohura*) 456
Natarajan, Subashree Using Confocal Raman Microscopy to Determine the Structure and Orientation of the PET Interior of PET/PP Core/Shell Fibers (*Michielsen*) 903
Nechwatal, Axel The Carrier Effect in the *m*-Aramid Fiber/Cationic Dye/Benzyl Alcohol System (*Rossbach*) 635
Nishimura, T. The Structure of Polyester/Cotton Blended Air-

Jet Spun Yarn (*Bhortakke, Matsuo*) 84

Oh, Kyung Wha Automatic Recognition of Fabric Weave Patterns by Digital Image Analysis (*Kang, Kim*) 77
Ohura, R. Decoloration of Azo Dyes by Hydrogen Peroxide Catalyzed by Water-Soluble Manganese Porphyrins (*Tokuda, Iwasaki, Takeuchi, Kashiwada, Nango*) 956
Effect of Surfactants on Decoloration of Various Dyes by Peroxide Bleaching Agents (*Tokuda, Nango*) 456
Okamura, Masaaki Yarn Tail Structure in Friction Spinning (*Kato, Konda, Merati, Saeki*) 214
O'Neill, J. A. A Comparison of Vibrational Spectroscopic Methods for Analyzing Wool/Polyester Textile Blends (*Church, Woodhead*) 676

Pailthorpe, M. T. A New Method for Improving the Dyeability of Cotton with Reactive Dyes (*Cai, David*) 440
Pan, Ning Experimental Methods for Measuring Fabric Mechanical Properties: A Review and Analysis (*Bassett, Postle*) 866
Paquet, B. Characterizing Single Fibers with a Profile Meter (*Longrée, Bernardin, Delfosse, Lemaire, Knott*) 352
Park, Chang Kyu Objective Evaluation of Seam Pucker Using Artificial Intelligence Part I: Geometric Modeling of Seam Pucker (*Kang*) 735
Part II: Method of Evaluating Seam Pucker (*Kang*) 835
Part III: Using the Objective Evaluation Method to Analyze the Effects of Sewing Parameters on Seam Pucker (*Kang*) 919
Park, Shin-Woong Measuring and Fuzzy Predicting Total Handle from Selected Mechanical Properties of Double Weft-Knitted Fabrics (*Hwang*) 19
Parra, J. L. Complementary Study of Optimizing a Wool Dyeing Process with Commercially Available Liposomes (*Coderch, Manich, Marti, de la Maza, Serra*) 789
Pavlath, Attila E. Clarity of Films from Wool Keratin (*Houssard, Camirand, Robertson*) 539
Pereira, Mário José X-Ray Diffraction Determination of the Effective Temperature Applied to Fibers During Processing (*Roldán*) 339
Perkins, Warren Quality Properties of Flax Fibers Retted with Enzymes (*Akin, Rigsby*) 747
Peykamian, Shahram Yarn Quality Indexing Using a Mechanical Stylus (*Rust*) 394
Phan, K.-H. Cuticle Scale Heights of Wool and Specialty Fibers and Their Changes Due to Textile Processing (*Wortmann*) 139
Pierlot, Anthony P. Water in Wool 97
Porat, I. Computer Simulation of Cone Winding Mechanisms with Constant Rate of Yarn Delivery Systems (*Greenwood, Bandukda*) 113
Postle, Jacqueline R. The Dynamics of Fabric Drape (*Postle*) 623
Postle, Ron Experimental Methods for Measuring Fabric Mechanical Properties: A Review and Analysis (*Bassett, Pan*) 866
Physical Properties and Processing of Fine Merino Lamb's Wool Part III: Effects of Wool Fiber Curvature on the Handle of Flannel Woven from Woolen Spun Yarn (*Madeley*) 576
The Dynamics of Fabric Drape (*Postle*) 623
Vibrating Properties of Textile Surfaces (*Aubry, Renner*) 335
Potiyaraj, P. CAD/CAM of Orthogonal and Angle-Interlock Woven Structures for Industrial Applications (*Chen*) ... 648
Potluri, Prasad Modeling the In-Plane Permeability of Woven Geotextiles (*Ariadurai, Whyte*) 345
Pourdeyhimi, B. Measuring Fiber Diameter Distribution in Nonwovens (*Dent*) 233
Measuring Fiber Orientation in Nonwovens Part V: Real Webs (*Dent, Jerbi, Tanaka, Deshpande*) 185

Qian, Caibao Fundamental Aspects of Aminoalkyl Siloxane Softeners by Molecular Modeling and Experimental Methods (*Skinner, Grigoras, Halloran, Zimmerman*) ... 935
Quaynor, Leticia Dimensional Changes in Knitted Silk and Cotton Fabrics with Laundering (*Nakajima, Takahashi*) 285

Radhakrishnaiah, P. Mechanical Agitation of Cotton Fabrics During Enzyme Treatment and Its Effect on Tactile Properties (*Meng, Huang, Buschle-Diller, Walsh*) 708
Rahn, Christopher D. Steady-State Unwinding of Yarn from Cylindrical Packages (*Kong, Goswami*) 292
Ramaswamy, S. Analyzing Convective Heat and Mass Transfer in Through-Air Drying of Fabrics (*Cui*) 776
Renner, Marc Noncontact Measurements of Sanding and Raising Effects (*Bueno, Durand*) 570
Vibrating Properties of Textile Surfaces (*Aubry, Postle*) 335
Rigsby, Luanne L. Quality Properties of Flax Fibers Retted with Enzymes (*Akin, Perkins*) 747
Rippon, John A. Comments on "Pathways for Dye Diffusion in Wool Fibers" 307
Rivin, Donald Humidity-Dependent Air Permeability of Textile Materials (*Gibson, Kendrick, Schreuder-Gibson*) 311
Robertson, George H. Clarity of Films from Wool Keratin (*Pavlath, Houssard, Camirand*) 539
Rödel, H. Simulating the Drape Behavior of Fabrics (*Fischer, Krzywinski, Schenk, Ulbricht*) 331
Rogers, Clarence D. Single Fiber Acoustic Emission and Tensile Properties from Cotton Bundle Fracture Tests (*Velu, Ellison, Dai*) 616
Roldán, Luís-González X-Ray Diffraction Determination of the Effective Temperature Applied to Fibers During Processing (*Pereira*) 339
Rollins, Chad K. Using Light and Scanning Electron Microscopic Methods to Differentiate Ibex Goat and Tibetan Antelope Fibers (*Hall*) 856
Rossbach, Volker The Carrier Effect in the *m*-Aramid Fiber/Cationic Dye/Benzyl Alcohol System (*Nechwatal*) 635
Rossettos, John N. A Parameter for Comparing the Damage Tolerance of Stressed Plain Weave Fabrics (*Godfrey*) 503
Rust, Jon P. Yarn Quality Indexing Using a Mechanical Stylus (*Peykamian*) 394

Saeki, Hirokazu Yarn Tail Structure in Friction Spinning (*Kato, Konda, Okamura, Merati*) 214
Saidi, M. A. Laser Doppler Anemometry for an Experimental Study of Flow Through Geotextiles: Influence of the Manufacturing Process (*Dréan, Adolphe*) 10
Sarma, D. S. Effects of Moisture and Fiber Type on Infrared Absorption of Fabrics (*McFarland, Carr, Dorrity*) 607
Sasaki, Hiroaki Dyeing Behavior of Silk Proteins in Relation to Silkworm Diet (*Ito, Imamura, Mori, Matsubara*) 825
Dyeing Kinetics of CI Acid Orange 7 in Multiple Layers of a Chemically Modified Wool Fabric (*Morikawa, Ito*) ... 944
Penetration of Multifunctional Epoxide into Wool and Its Effect on Shrink Resistance (*Ito, Tsuji, Kohjiya*) 473
Sasser, Preston E. Tensile Behavior of Slack Fiber Bundles—Theory and Application to HVI Testing (*Cui, Suh*) 497
Schacher, L. An Application of the Kubelka-Munck Relationship to Calculate the Color Fastness of a Fabric (*Convert, Viallier*) 357
Schenk, A. Simulating the Drape Behavior of Fabrics (*Fischer, Krzywinski, Rödel, Ulbricht*) 331
Schneider, Thomas A Simple Method for Measuring the Potential Resuspension of Dust from Carpets in the Indoor Environment (*Kildesø, Vinzents, Kloch*) 169
Schreuder-Gibson, Heidi Humidity-Dependent Air Permeability of Textile Materials (*Gibson, Rivin, Kendrick*) 311
Schweinsberg, D. P. Bleaching Cotton Fabric with Electrogen-

erated Oxygen—The Role of Hydroxyl and Superoxide Radicals (*Fukatsu, Kokot*) 769
Seong, Ha-Soo Preparing Chito-Oligosaccharides as Antimicrobial Agents for Cotton (*Kim, Ko*) 483
Serra, S. Complementary Study of Optimizing a Wool Dyeing Process with Commercially Available Liposomes (*Coderch, Manich, Marti, de la Maza, Parra*) 789
Seyam, Abdelfattah M. Carding Dynamics Part I: Previous Studies of Fiber Distribution and Movement in Carding (*Meng, Batra*) 90
Carding Dynamics Part II: Development of a Device for On-Line Measurement of Two-Dimensional Fiber Loading on Card Elements (*Meng, El-Shiekh*) 155
Shinohara, Kazuo Light Transmittivity of an Extended Circular Plain Knitted Fabric (*Matsumoto, Takatera, Azuma, Morooka*) 641
Shioya, Masatoshi Transverse Long Period in Wet Silk Fibers (*Kawahara*) 791
Shoshani, Yakir A Model for Calculating the Noise Absorption Capacity of Nonwoven Fiber Webs (*Yakubov*) 519
Sigli, D. Numerical Simulation of Filtration Flow Through and Around Textile Fibers (*Berton*) 318
Silva, Elisabete Cabeço A New Apparatus and Method for Tensile Testing at High Strain Rates (*Freyburger, Dréan, Madrolle, Marques*) 220
Sirikasemlert, A. A Three-Dimensional Analysis of Specular Reflection from Single-Jersey Knitted Fabrics (*Tao*) ... 43
Effects of Fabric Parameters on Specular Reflection of Single-Jersey Knitted Fabrics (*Tao*) 663
Skinner, Michael W. Fundamental Aspects of Aminoalkyl Siloxane Softeners by Molecular Modeling and Experimental Methods (*Qian, Grigoras, Halloran, Zimmerman*) 935
Slaten, B. Lewis Objective Evaluation of Fabric Hand Part I: Relationships of Fabric Hand by the Extraction Method and Related Physical and Surface Properties (*Kim*) 59
Soong, Li-Chiun Control of Tension and Line Speed in Fabric Finishing (*Huang*) 714
Špan, Jože Dye-Surfactant Interactions Studied Using Job's Method (*Tavčer*) 278
Su, Ching-Iuan Evaluating Uniformity of Drafted Roving 630
Image Analysis of Composite Yarn Cross Sections (*Leu, Chern*) 203
Suh, Moon W. Maximizing Yarn and Fabric Strength Through Variance of HVI Elongation (*Koo*) 447
Tensile Behavior of Slack Fiber Bundles—Theory and Application to HVI Testing (*Cui, Sasser*) 497
Swift, Alan J. Pathways for Aqueous Diffusion in Keratin Fibers 152

Takagishi, T. Bending and Shear Properties of Cotton Fabrics Subjected to Cellulase Treatment (*Mori, Haga*) 742
Takahashi, Masaoki Dimensional Changes in Knitted Silk and Cotton Fabrics with Laundering (*Quaynor, Nakajima*) ... 285
Takatera, Masayuki Light Transmittivity of an Extended Circular Plain Knitted Fabric (*Matsumoto, Shinohara, Azuma, Morooka*) 641
Takeuchi, Y. Decoloration of Azo Dyes by Hydrogen Peroxide Catalyzed by Water-Soluble Manganese Porphyrins (*Tokuda, Ohura, Iwasaki, Kashiwada, Nango*) 956
Tanaka, S. Measuring Fiber Orientation in Nonwovens Part V: Real Webs (*Pourdeyhimi, Dent, Jerbi, Deshpande*) 185
Tao, Weiying Preparing and Characterizing Kenaf/Cotton Blended Fabrics (*Calamari, Yu, Chen*) 720
Tao, X. A Three-Dimensional Analysis of Specular Reflection from Single-Jersey Knitted Fabrics (*Sirikasemlert*) 43
Effects of Fabric Parameters on Specular Reflection of Single-Jersey Knitted Fabrics (*Sirikasemlert*) 663
Low Temperature Plasma Treatment of Linen (*Wong, Yuen, Yeung*) 846
Tascon, J. M. D. Shrinkage Properties of Wool Treated with Low Temperature Plasma and Chitosan Biopolymer (*Erra, Molina, Jocic, Julia, Cuesta*) 811
Tavčer, Petra Forte Dye-Surfactant Interactions Studied Using Job's Method (*Špan*) 278
Thorr, F. Image Analysis Tools to Study Nonwovens (*Dréan, Adolphe*) 162
Tokuda, J. Decoloration of Azo Dyes by Hydrogen Peroxide Catalyzed by Water-Soluble Manganese Porphyrins (*Ohura, Iwasaki, Takeuchi, Kashiwada, Nango*) 956
Effect of Surfactants on Decoloration of Various Dyes by Peroxide Bleaching Agents (*Ohura, Nango*) 456
Tsuji, Masaki Penetration of Multifunctional Epoxide into Wool and Its Effect on Shrink Resistance (*Ito, Sasaki, Kohjiya*) 473
Tsujii, Yoshinobu Effect of Fiber Structure on Heat of Wetting of Cotton and Regenerated Cellulosic Fibers (*Mizutani, Bertoniere*) 559
Tsunesada, T. Thermal Decomposition Behavior of Polyester Fabrics Treated with a Bromine-Containing Compound (*Kubokawa, Hatakeyama*) 121
Tucker, Paul A. Reply to "Cuticle Scale Heights of Wool and Specialty Fibers and Their Changes Due to Textile Processing" 698

Ulbricht, V. Simulating the Drape Behavior of Fabrics (*Fischer, Krzywinski, Rödel, Schenk*) 331
Ussman, Mahomed H. Viscoelastic Behavior of Polypropylene Fibers (*Manich, Barella*) 325

Vanderhaeghen, K. Color Measurement of Pile Fabrics (*Bernard, Kiekens*) 552
Velu, Yogeshwar K. Single Fiber Acoustic Emission and Tensile Properties from Cotton Bundle Fracture Tests (*Ellison, Dai, Rogers*) 616
Versteeg, H. K. Effect of Geometry on the Performance of Intermingling Nozzles (*Acar, Bilgin*) 545
Viallier, P. An Application of the Kubelka-Munck Relationship to Calculate the Color Fastness of a Fabric (*Convert, Schacher*) 357
Vinzents, Peter A Simple Method for Measuring the Potential Resuspension of Dust from Carpets in the Indoor Environment (*Kildesø, Schneider, Kloch*) 169
Voncina, Bojana An FTIR Study of Anhydride Formation on Heating Butane-Tetracarboxylic Acid in the Presence of Various Catalysts (*Gillingham, Lewis*) 949

Wakashima, Kiyohito Reflective Properties of Pantyhose Cloth as Analyzed by an Image Analysis System (*Morooka, Matsumoto, Morooka*) 68
Walsh, W. K. Mechanical Agitation of Cotton Fabrics During Enzyme Treatment and Its Effect on Tactile Properties (*Radhakrishnaiah, Meng, Huang, Buschle-Diller*) 708
Wang, Chang-Chung Theoretical Control and Experimental Verification of Carded Web Density Part III: Neural Network Controller Design (*Kuo, Hsieh*) 401
Wang, Shan-Yuan Nonlinear Creep Characterization of Textile Fabrics (*Cui*) 931
Wang, Xungai An Experimental Study of the Effect of Test Speed on Yarn Hairiness (*Chang*) 25
Effect of Test Speed and Twist Level on the Hairiness of Worsted Yarns (*Huang, Huang*) 889
Warner, Steven B. Pore Sizes in Carpet (*Zhou*) 423
Watanabe, Akira Fatigue Behavior of Aramid Nonwoven Fabrics Under Hot-Press Conditions Part VI: Effect of Stable Base Fabrics on Mechanical Properties (*Miwa, Yokoi*) 1
Watson, Michael D. Clustering Analysis for Cotton Trash Classification (*Xu, Fang*) 656
Color Grading of Cotton Part I: Spectral and Color Image

Analysis (*Duckett, Zapletalova, Cheng, Ghorashi*) 876
Part II: Color Grading with an Expert System and Neural Networks (*Cheng, Ghorashi, Duckett, Zapletalova*) 893
Wei, Weishu Predicting the Performance of Durable Press Finished Cotton Fabric with Infrared Spectroscopy (*Yang*) 145
Whang, Hyun Suk A New Objective Method of Measuring Fabric Wrinkles Using a 3-D Projecting Grid Technique (*Kang, Cho*) 261
Whyte, Ian L. Modeling the In-Plane Permeability of Woven Geotextiles (*Ariadurai, Potluri*) 345
Wienands, Christian Low Cost Tangential Bobbin Creel for Twist-Free Intermittent Reinforcement Fiber Placement (*Hoersting*) 389
Wong, K. K. Low Temperature Plasma Treatment of Linen (*Tao, Yuen, Yeung*) 846
Woodhead, A. K. A Comparison of Vibrational Spectroscopic Methods for Analyzing Wool/Polyester Textile Blends (*Church, O'Neill*) 676
Wortmann, F.-J. Cuticle Scale Heights of Wool and Specialty Fibers and Their Changes Due to Textile Processing (*Phan*) 139

Xu, B. Clustering Analysis for Cotton Trash Classification (*Fang, Watson*) 656

Yakubov, Yakov A Model for Calculating the Noise Absorption Capacity of Nonwoven Fiber Webs (*Shoshani*) 519
Yan, Zanyao Flexible Multifunction Instrument for Automated Nonwoven Web Structure Analysis (*Bresee*) 795
Yang, Charles Q. Fabric Yellowing Caused by Citric Acid as a Crosslinking Agent for Cotton (*Lu*) 685
In-situ Polymerization of Maleic Acid and Itaconic Acid and Crosslinking of Cotton Fabric (*Lu*) 782
Predicting the Performance of Durable Press Finished Cotton Fabric with Infrared Spectroscopy (*Wei*) 145
Yao, M. Fabric Bagging Part I: Subjective Perception and Psychophysical Mechanism (*Zhang, Li, Yeung*) 511
Part II: Objective Evaluation and Physical Mechanism (*Zhang, Li, Yeung*) 598
Yeung, K. W. Fabric Bagging Part I: Subjective Perception and Psychophysical Mechanism (*Zhang, Li, Yao*) 511
Part II: Objective Evaluation and Physical Mechanism (*Zhang, Li, Yao*) 598
Low Temperature Plasma Treatment of Linen (*Wong, Tao, Yuen*) 846
Yokoi, Teruyuki Fatigue Behavior of Aramid Nonwoven Fabrics Under Hot-Press Conditions Part VI: Effect of Stable Base Fabrics on Mechanical Properties (*Watanabe, Miwa*) 1
Yu, Chongwen Open-End Spinning Using Air-Jet Twisting 535
Preparing and Characterizing Kenaf/Cotton Blended Fabrics (*Tao, Calamari, Chen*) 720
Yu, Wen-Hong Control of Dye Concentration, pH, and Temperature in Dyeing Processes (*Huang*) 914
Yuen, C. W. M. Low Temperature Plasma on Wool Substrates: The Effect of the Nature of the Gas (*Kan, Chan, Miao*) 407
Low Temperature Plasma Treatment of Linen (*Wong, Tao, Yeung*) 846

Zapletalova, Terezie Color Grading of Cotton Part I: Spectral and Color Image Analysis (*Duckett, Cheng, Ghorashi, Watson*) 876
Part II: Color Grading with an Expert System and Neural Networks (*Cheng, Ghorashi, Duckett, Watson*) 893
Zhang, X. Fabric Bagging Part I: Subjective Perception and Psychophysical Mechanism (*Li, Yeung, Yao*) 511
Part II: Objective Evaluation and Physical Mechanism (*Li, Yeung, Yao*) 598
Zhou, Naiyue On-Line Measurement of Fabric Bending Behavior Part III: Dynamic Considerations and Experimental Implementation (*Ghosh*) 176
Zhou, Weiguo Pore Sizes in Carpet (*Warner*) 423
Zimmerman, Brett L. Fundamental Aspects of Aminoalkyl Siloxane Softeners by Molecular Modeling and Experimental Methods (*Skinner, Qian, Grigoras, Halloran*) 935
Żurek, W. Cotton Fiber Length Changes in the Spinning Process on the Basis of AFIS Measurements (*Greszta, Frydrych, Balcar*) 804

SUBJECT INDEX

Abrasion
- **sanded and raised cottons:** noncontact measurements by optical roughness meter *Bueno, Durand, Renner* 570

Acoustic Theory
- **cotton fiber fracture tests:** acoustic emission and tensile properties from cotton bundle tests *Velu, Ellison, Dai, Rogers* 616

Acrylics
- **laundering of rib knits:** changes in sensory and mechanical properties *Mackay, Anand, Bishop* 252
- **sound-proofing nonwovens:** model for calculating noise absorption capacity *Shoshani, Yakubov* 519

Air Permeability
- **air-flow through wet textiles:** high differential pressures; influence of fiber wetting *Belkacemi, Broadbent* 52
- **cotton fineness and maturity:** headspace resistance standards for Micromat tester *Montalvo, Faught* 269
- **humidity dependent:** hygroscopic woven fabrics for protective clothing *Gibson, Rivin, Kendrick, Schreuder-Gibson* 311
- **of kenaf/cotton blends:** preparing and characterizing *Tao, Calamari, Yu, Chen* 720

Animal Fibers
- **differentiated by microscopy:** light and SEM methods for goat and antelope fibers *Rollins, Hall* 856

Aramids
- **dyeing of:** carrier effect in *m*-aramid fiber/cationic dye/benzyl alcohol system *Nechwatal, Rossbach* 635
- **fatigue behavior of nonwovens:** hot press conditions; effect of stable base on mechanical properties *Watanabe, Miwa, Yokoi* 1
- ***Pp*POT and PPTA fiber fatigue:** tensile and uniaxial fatigue; relationship with chain orientation *Ferreira, Lam, Labache, Delvael* 30

Bagging
- **fabric deformation:** objective evaluation and physical mechanism *Zhang, Li, Yeung, Yao* 598
- **fabric deformation:** subjective perception and psychophysical mechanism *Zhang, Li, Yeung, Yao* 511

Bast Fibers
- **enzymatic hydrolysis of:** structural changes in fibers from mixed enzyme systems *Buschle-Diller, Fanter, Loth* ... 244
- **kenaf/cotton blends:** preparing and characterizing *Tao, Calamari, Yu, Chen* 720
- **plasma treatment of flax:** low temperature plasma dry processing *Wong, Tao, Yuen, Yeung* 846
- **retted with enymes:** alternative to dew retting *Akin, Rigsby, Perkins* 747

Bending
- **of enzyme-treated cotton fabrics:** bending and shear properties *Mori, Haga, Takagishi* 742
- **of multiaxial warp knits:** characterzing and modeling bending and buckling *Jiang, Hu, Ko* 691
- **on-line measuring of:** dynamic considerations and experimental implementation *Zhou, Ghosh* 176

Bicomponent Fibers
- **PET/PP core/shell fibers:** confocal Raman microscopy to determine structure and orientation of PET interior *Natarajan, Michielsen* 903

Bleaching
- **decoloration of azo dyes:** hydrogen peroxide catalyzed by water-soluble manganese porphyrins *Tokuda, Ohura, Iwasaki, Takeuchi, Kashiwada, Nango* 956
- **dye decoloration:** effect of surfactants on peroxide bleaching agents *Tokuda, Ohura, Nango* 456
- **with electrogenerated oxygen:** role of hydroxyl and superoxide radicals on cotton bleaching *Fukatsu, Kokot, Schweinsberg* 769

Blends
- **from low and high tenacity fibers:** structure-property relationship of blended cotton yarns *Anandjiwala, Goswami, Bragg, Bargeron* 129
- **kenaf/cotton blends:** preparing and characterizing *Tao, Calamari, Yu, Chen* 720
- **wool/polyester blends:** comparing vibrational spectroscopic methods for analyzing *Church, O'Neill, Woodhead* 676

Bonding
- **thermally point bonded nonwovens:** influence of fiber structure on properties; polypropylene *Dharmadhikary, Davis, Gilmore, Batra* 725

Buckling
- **fabric drape dynamics:** mathematical model of buckling and folding *Postle, Postle* 623
- **of multiaxial warp knits:** characterzing and modeling bending and buckling *Jiang, Hu, Ko* 691

Carbon Fibers
- **reinforcements for composites:** tangential bobbin creel for fiber placement *Hoersting, Wienands* 389

Carding
- **carded web density:** neural network controller design *Kuo, Wang, Hsieh* 401
- **carded web density:** theoretical control and experimental verification; pole placement design *Kuo, Liu* 237
- **dynamics of:** fiber distribution and movement in nonwoven webs *Meng, Seyam, Batra* 90
- **dynamics of:** on-line measurement of 2-D fiber loading on card elements *Seyam, Meng, El-Shiekh* 155

Carpets
- **color measurement of pile:** relationship between yarn color and carpet color *Bernard, Vanderhaeghen, Kiekens* 552
- **dust in:** measuring resuspension of dust indoors *Kildesø, Vinzents, Schneider, Kloch* 169
- **pore sizes in:** pore size distribution by liquid extrusion and optical microscopy *Zhou, Warner* 423

Cashmere
- **cuticle scale heights of:** changes in wool and specialty fibers due to processing *Wortmann, Phan* 139
- **scale heights of:** changes due to textile processing; reply to comments *Tucker* 698

Catalysis
- **decoloration of azo dyes:** hydrogen peroxide catalyzed by water-soluble manganese porphyrins *Tokuda, Ohura, Iwasaki, Takeuchi, Kashiwada, Nango* 956
- **polycarboxylic acid crosslinking:** most effective catalyst; FTIR study of anhydride formation *Gillingham, Lewis, Voncina* 949

Cellulose
- **flame retardant:** apparent activation energy of thermal degradation *Nakanishi, Morikawa, Hashimoto* 208

Chitin
- **antimicrobial finish:** chito-oligosaccharides as finishing agents for cotton *Seong, Kim, Ko* 483

Clothing, Protective
- **antimicrobial finish for:** chito-oligosaccharides as finishing agents for cotton *Seong, Kim, Ko* 483
- **barrier properties of finishes:** antimicrobial and blood repellent finishes for cotton and nonwovens *Lee, Cho, Cho* 104

Color Fastness
- **of reactive dyes on cellulose:** using Kubelka-Munck relationship to calculate *Convert, Schacher, Viallier* 357
- **reactive dyes on cotton:** new method for improving dyeability *Cai, Pailthorpe, David* 440

Comfort
- **of clothing during wear:** moisture sorption and transport; comments on *Berger* 463

of clothing during wear: moisture sorption and transport; reply to comments *Barnes, Holcombe* 464
of cotton and rayon fibers: effect of fiber structure on heat of wetting of fibers *Mizutani, Tsujii, Bertoniere* 559
of waterproof textiles: effect of film characteristics on microclimate moisture and temperature *Kim* 193
of yarns: yarn quality indexing with a mechanical stylus *Peykamian, Rust* 394
Composites
carbon reinforcement fibers in: tangential bobbin creel for fiber placement *Hoersting, Wienands* 389
complex woven structures: CAD/CAM for orthogonal and angle-interlock woven structures *Chen, Potiyaraj* 648
PET/rayon yarns: fiber recognition and distribution by image analysis *Chiu, Chen, Lee* 417
poly/rayon yarns: image analysis of cross sections *Su, Leu, Chern* 203
Compression
fine Merino lamb's wool: physical properties and processing; effects of fiber curvature on flannel handle *Madeley, Postle* 576
Computer Techniques
CAD/CAM of woven structures: orthogonal and angle-interlock woven structures for industrial applications *Chen, Potiyaraj* 648
for modeling fabric finishing: dynamics of tension and line speed control *Huang, Soong* 714
for nonwoven failure analysis: based on fiber failure criterion *Liao, Adanur* 489
for nonwoven web analysis: flexible multifunction instrument for automated web analysis *Yan, Bresee* 795
for predicting fabric performance: predictions based on fabric mechanical properties for garment manufacturing *Gong, Chen* 477
for unwinding of yarn: steady-state unwinding from cylindrical packages *Kong, Rahn, Goswami* 292
image analysis of composites: cross sections of poly/rayon yarns *Su, Leu, Chern* 203
image analysis of nonwovens: to measure fiber diameter distribution *Pourdeyhimi, Dent* 233
molecular modeling: equilibrium geometries of two disperse dyes *Lye, Freeman, Hinks* 583
simulating cone winding: mechanism with constant rate of yarn delivery system *Porat, Greenwood, Bandukda* 113
to analyze fabric weave patterns: automatic recognition by digital image analysis *Kang, Kim, Oh* 77
to assess pore sizes in carpets: pore size distribution by liquid extrusion and optical microscopy *Zhou, Warner* 423
to control carded web density: theoretical control and experimental verification; pole placement design *Kuo, Liu* .. 237
to control dyeing: dye concentration, pH, and temperature with fuzzy control *Huang, Yu* 914
to evaluate crimp: fractal dimension *Kang, Lee, Chung, Lee* 527
to evaluate seam puckering: objective evaluation with artificial intelligence; new method with shape parameters *Park, Kang* 835
to evaluate wrinkle recovery: laser sensor and neural networks *Kim* 860
to measure carpet color: relationship between yarn color and carpet color *Bernard, Vanderhaeghen, Kiekens* 552
to measure specular reflection: 3-D analysis to determine luster of single-jersey knits *Tao, Sirikasemlert* 43
to measure wrinkle recovery: new objective method using 3-D projecting grid technique *Kang, Cho, Whang* 261
to rate air permeability: hygroscopic woven fabrics for protective clothing *Gibson, Rivin, Kendrick, Schreuder-Gibson* 311
to schedule fabric production: maximizing loom utilization *Chen, Harlock* 431
to study hair and wool fibers: characterizing single fibers with a profile meter *Longrée, Bernardin, Delfosse, Lemaire, Paquet, Knott* 352
to study nonwoven architecture: evaluating with computer-assisted microscopy *Krucinska, Krucinski* 363
to study PET/rayon composites: fiber recognition and distribution by image analysis *Chiu, Chen, Lee* 417
Contaminants
in cotton fibers: fiber property variability continuum from motes through seeds *Davidonis, Johnson, Landivar, Hood* 754
in raw cotton: clustering analysis for trash classification *Xu, Fang, Watson* 656
Cotton Fabrics
air flow through wet fabrics: high differential pressures; influence of fiber wetting *Belkacemi, Broadbent* 52
antimicrobial finish for: chito-oligosaccharides as finishing agents for cotton *Seong, Kim, Ko* 483
bagging of: subjective perception and psychophysical mechanism *Zhang, Li, Yeung, Yao* 511
color fastness of reactive dyes: using Kubelka-Munck relationship to calculate *Convert, Schacher, Viallier* 357
crosslinked with citric acid: yellowing of *Lu, Yang* 685
electrogenerated oxygen bleaching: role of hydroxyl and superoxide radicals *Fukatsu, Kokot, Schweinsberg* 769
enzyme treated: effect of mechanical agitation on tactile properties *Radhakrishnaiah, Meng, Huang, Buschle-Diller, Walsh* 708
enzyme-treated: bending and shear properties *Mori, Haga, Takagishi* 742
fabric softeners: fundamental aspects of aminoalkyl siloxane softeners *Skinner, Qian, Grigoras, Halloran, Zimmerman* 935
fading of reactive dyes on: peculiarities of fading behavior in binary mixtures *Nandy* 16
flame retardant cellulose: apparent activation energy of thermal degradation *Nakanishi, Morikawa, Hashimoto* 208
handle of flameproofed fabrics: simple extraction method as related to physical and surface properties *Kim, Slaten* .. 59
kenaf/cotton blends: preparing and characterizing *Tao, Calamari, Yu, Chen* 720
laundering of rib knits: changes in sensory and mechanical properties *Mackay, Anand, Bishop* 252
maleic, itaconic acid crosslinking: *in-situ* polymerization *Yang, Lu* 782
performance of DP cotton: predicting with infrared spectroscopy *Wei, Yang* 145
plasma treated and grafted: surface resistivity behavior of cotton and polyester fabrics *Bhat, Benjamin* 38
polycarboxylic acid crosslinking: most effective catalyst; FTIR study of anhydride formation *Gillingham, Lewis, Voncina* 949
predicting fabric performance: predictions based on fabric mechanical properties for garment manufacturing *Gong, Chen* 477
protective finishes for: antimicrobial and blood repellent finishes for cotton and nonwovens *Lee, Cho, Cho* 104
reactive dyeing of: new method for improving dyeability *Cai, Pailthorpe, David* 440
sanded and raised: noncontact measurements by optical roughness meter *Bueno, Durand, Renner* 570
scouring with proteases: improved wetting behavior *Hsieh, Cram* 590
silk and cotton knits: dimensional changes with laundering *Quaynor, Nakajima, Takahishi* 285
sound-proofing nonwovens: model for calculating noise absorption capacity *Shoshani, Yakubov* 519
vibrations of textile surfaces: propagation mechanisms for transverse vibrations; membrane theory *Aubry, Postle, Renner* 335

Cotton Fibers
acoustic emission during fracture: cotton bundle fracture tests; tensile properties *Velu, Ellison, Dai, Rogers* 616
air-jet spun blended yarns: structure of cotton and polyester wrappers *Bhortakke, Nishimura, Matsuo* 84
color grading of: expert system and neural networks *Cheng, Ghorashi, Duckett, Zapletalova, Watson* 893
color grading of: spectral and color image analysis *Duckett, Zapletalova, Cheng, Ghorashi, Watson* 876
fineness and maturity: headspace resistance standards for Micromat tester *Montalvo, Faught* 269
flameproofing of: flame-retardant fiber/intumescent combinations; nature of char *Kandola, Horrocks* 374
heat of wetting: effect of fiber structure; also regenerated cellulosic fibers *Mizutani, Tsujii, Bertoniere* 559
length changes in spinning: based on AFIS measurements *Żurek, Greszta, Frydrych, Balcar* 804
low and high tenacity fibers: structure-property relationship of blended cotton yarns *Anandjiwala, Goswami, Bragg, Bargeron* 129
maximizing yarn, fabric strength: variance of HVI elongation *Koo, Suh* 447
property variability: continuum from motes through seeds *Davidonis, Johnson, Landivar, Hood* 754
testing of slack fiber bundles: theory and application to HVI testing *Cui, Suh, Sasser* 497
Cotton, Raw
trash in: clustering analysis for trash classification *Xu, Fang, Watson* 656
Creep
nonlinear characterization: creep behavior of wovens and nonwovens; modified nonlinear equation *Cui, Wang* ... 931
Crimp
evaluating with fractal geometry: fractal dimension *Kang, Lee, Chung, Lee* 527
fine Merino lamb's wool: physical properties and processing; effects of fiber curvature on flannel handle *Madeley, Postle* 576
Crosslinking
with citric acid: yellowing of cotton *Lu, Yang* 685
with maleic and itaconic acids: *in-situ* polymerization *Yang, Lu* 782
with polycarboxylic acids: most effective catalyst; FTIR study of anhydride formation *Gillingham, Lewis, Voncina* 949
Cuticle
dye diffusion in: pathways for *Rippon* 307
scale heights of wool, cashmere: changes in wool and specialty fibers due to processing *Wortmann, Phan* 139
scale heights of: changes due to textile processing; reply to comments *Tucker* 698

Deformation
dynamics of fabric drape: mathematical model of buckling and folding *Postle, Postle* 623
fabric bagging: objective evaluation and physical mechanism *Zhang, Li, Yeung, Yao* 598
fabric bagging: subjective perception and psychophysical mechanism *Zhang, Li, Yeung, Yao* 511
simulation of fabric drape: deformation behavior of flexural fabrics *Fischer, Krzywinski, Rödel, Schenk, Ulbricht* ... 331
Drafting
uniformity of drafted roving: fine denier polyester and rayon fibers; draft ratio *Su* 630
Drape
dynamics of fabric drape: mathematical model of buckling and folding *Postle, Postle* 623
of enzyme treated cotton: effect of mechanical agitation on tactile properties *Radhakrishnaiah, Meng, Huang, Buschle-Diller, Walsh* 708
simulation of fabric behavior: deformation behavior of flexural fabrics *Fischer, Krzywinski, Rödel, Schenk, Ulbricht* 331
Drying
through-air fabric drying: analyzing convective heat and mass transfer *Ramaswamy, Cui* 776
Durable Press
crosslinking with citric acid: yellowing of cotton *Lu, Yang* 685
maleic, itaconic acid crosslinking: *in-situ* polymerization *Yang, Lu* 782
performance of DP cotton: predicting with infrared spectroscopy *Wei, Yang* 145
polycarboxylic acid crosslinking: most effective catalyst; FTIR study of anhydride formation *Gillingham, Lewis, Voncina* 949
Dust
in carpets: measuring resuspension of dust indoors *Kildesø, Vinzents, Schneider, Kloch* 169
Dyeing
aramid fibers: carrier effect in *m*-aramid fiber/cationic dye/benzyl alcohol system *Nechwatal, Rossbach* 635
control of concentration: also pH and temperature with fuzzy control *Huang, Yu* 914
keratin fibers: pathways for aqueous diffusion *Leeder* 229
keratin fibers: pathways for aqueous diffusion *Swift* 152
polypropylene fibers: influence of mass dope dyeing and fiber fineness *Manich, Ussman, Barella* 325
reactive dyes on cellulose: using Kubelka-Munck relationship to calculate color fastness *Convert, Schacher, Viallier* 357
shrinkproofed wool: low temperature plasmas; effect of nature of gas *Kan, Chan, Yuen, Miao* 407
silk proteins: dyeing behavior as related to silkworm diet *Ito, Sasaki, Imamura, Mori, Matsubara* 825
wool yarns: optimizing with commericially available liposomes *Coderch, Manich, Marti, de la Maza, Parra, Serra* 789
Dyes
acid dye on modified wool: dyeing kinetics in multiple fabric layers *Sasaki, Morikawa, Ito* 944
decoloration by bleaching agents: effect of surfactants on peroxide agents *Tokuda, Ohura, Nango* 456
decoloration of azo dyes: hydrogen peroxide catalyzed by water-soluble manganese porphyrins *Tokuda, Ohura, Iwasaki, Takeuchi, Kashiwada, Nango* 956
diffusion in wool fibers: pathways for *Rippon* 307
dye-surfactant interactions: studied with Job's method of continuous variations *Tavčer, Špan* 278
fading of reactive dyes on cotton: peculiarities of fading behavior in binary mixtures *Nandy* 16
molecular modeling of: equilibrium geometries of two disperse dyes *Lye, Freeman, Hinks* 583
reactive dyes on cotton: new method for improving dyeability *Cai, Pailthorpe, David* 440

Elasticity
creep behavior of fabrics: modified nonlinear equation for wovens and nonwovens *Cui, Wang* 931
of polypropylene fibers: influence of mass dope dyeing and fiber fineness *Manich, Ussman, Barella* 325
Electrolysis
electrogenerated oxygen bleaching: role of hydroxyl and superoxide radicals on cotton bleaching *Fukatsu, Kokot, Schweinsberg* 769
Environmental Impacts
of dust in carpets: measuring resuspension of dust indoors *Kildesø, Vinzents, Schneider, Kloch* 169
of films from wool keratin: clarity of *Pavlath, Houssard, Camirand, Robertson* 539
of reactive dyeing of cotton: new method for improving dyeability *Cai, Pailthorpe, David* 440

shrinkproofing with plasma: low temperature plasma and chitosan biopolymer treatments *Erra, Molina, Jocic, Julia, Cuesta, Tascon* 811

Enzymes
as scouring agents: improved wetting behavior of cotton fabrics *Hsieh, Cram* 590
for retting flax: alternative to dew retting *Akin, Rigsby, Perkins* 747
hemp hydrolysis: structural changes in fibers from mixed enzyme systems *Buschle-Diller, Fanter, Loth* 244
to improve cotton fabric handle: effect of mechanical agitation *Radhakrishnaiah, Meng, Huang, Buschle-Diller, Walsh* 708
to treat cotton fabrics: bending and shear properties *Mori, Haga, Takagishi* 742

Epoxides
for shrinkproofing wool: penetration and effect on shrink resistance *Ito, Sasaki, Tsuji, Kohjiya* 473

Fabric Defects
optical defect detection: joint transform correlation technique; theoretical basis and simulation *Goswami, Datta* 829

Fabric Deformation
on-line measuring of: dynamic considerations and experimental implementation *Zhou, Ghosh* 176
spherical deformation: new apparatus, method, and algorithm *Kisilak* 908

Fabric Irregularity
in nonwovens: evaluating with Linnik functional statistical technique *Cherkassky* 701

Fabric Properties
new methods for measuring: experimental methods of simultaneous measurements *Bassett, Postle, Pan* 866

Fabric Softness
from yarn quality parameters: yarn quality indexing with a mechanical stylus *Peykamian, Rust* 394

Fading
of reactive dyes on cotton: peculiarities of fading behavior in binary mixtures *Nandy* 16

Fatigue
of aramid nonwovens: behavior under hot press conditions; effect of stable base on mechanical properties *Watanabe, Miwa, Yokoi* 1
of PpPOT and PPTA fibers: tensile and uniaxial fatigue; relationship with chain orientation *Ferreira, Lam, Labache, Delvael* 30

Fiber Diameter
distribution in nonwovens: image analysis of *Pourdeyhimi, Dent* 233
of animal fibers: light and SEM methods for differentiating goat and antelope fibers *Rollins, Hall* 856

Fiber Failure
nonwoven failure analysis: computerized analysis based on fiber failure criterion *Liao, Adanur* 489

Fiber Fineness
of hair and wool fibers: characterizing single fibers with a profile meter *Longrée, Bernardin, Delfosse, Lemaire, Paquet, Knott* 352

Fiber Length
cotton length changes in spinning: based on AFIS measurements *Żurek, Greszta, Frydrych, Balcar* 804

Fiber Orientation
of nonwoven architecture: evaluating with computer-assisted microscopy *Krucinska, Krucinski* 363
PET/PP core/shell fibers: confocal Raman microscopy to determine structure and orientation of PET interior *Natarajan, Michielsen* 903

Fiber Processing
of nonwoven webs: carding dynamics; fiber distribution and movement *Meng, Seyam, Batra* 90

Films
from wool keratin: clarity of; environmental impacts *Pavlath, Houssard, Camirand, Robertson* 539

Filtration
flow through geotextiles: laser Doppler anemometry; influence of manufacturing process *Saidi, Dréan, Adolphe* .. 10
simulated filtration flow: through and around textile fibers *Berton, Sigli* 318

Finishing
tension and line speed control: mathematical modeling of dynamics; nonlinear behavior *Huang, Soong* 714

Finishing Agents
antimicrobial finish: chito-oligosaccharides as finishing agents for cotton *Seong, Kim, Ko* 483
barrier properties of finishes: antimicrobial and blood repellent finishes for cotton and nonwovens *Lee, Cho, Cho* 104

Flameproofing
complex char formation: flame-retardant fiber/intumescent combinations; nature of char *Kandola, Horrocks* 374
handle of treated textiles: simple extraction method as related to physical and surface properties *Kim, Slaten* ... 59
of cellulosic fibers: apparent activation energy of thermal degradation *Nakanishi, Morikawa, Hashimoto* 208
of polyester: thermal decomposition of fabrics treated with bromine-containing compound *Kubokawa, Tsunesada, Hatakeyama* 121

Flax
plasma treatment of: low temperature plasma dry processing *Wong, Tao, Yuen, Yeung* 846
retted with enymes: alternative to dew retting *Akin, Rigsby, Perkins* 747

Fluid Flow
flow through geotextiles: laser Doppler anemometry; influence of manufacturing process *Saidi, Dréan, Adolphe* .. 10
in nonwoven geotextiles: transmissivity behavior of layered needlepunched geotextiles *Hwang, Lu, Lin, Hwu, Hsing* 565
in woven geotextiles: modeling in-plane permeability *Ariadurai, Potluri, Whyte* 345
simulated filtration flow: through and around textile fibers *Berton, Sigli* 318

Friction
and yarn hairiness: ring and rotor spun yarns; effect of test speed on yarn hairiness *Wang, Chang* 25

Geometry
for evaluating crimp: fractal dimension *Kang, Lee, Chung, Lee* 527
of disperse dyes: equilibrium geometries; molecular modeling *Lye, Freeman, Hinks* 583
of intermingling nozzles: effect on performance; nip frequency *Versteeg, Acar, Bilgin* 545
to model seam pucker: evaluation by artificial intelligence *Park, Kang* 735
to simulate fabric drape: deformation behavior of flexural fabrics *Fischer, Krzywinski, Rödel, Schenk, Ulbricht* ... 331

Geotextiles
damage tolerance of: parameter for comparing in stressed plain weave fabrics *Godfrey, Rossettos* 503
heat-bonded nonwovens: image analysis tools to study *Thorr, Dréan, Adolphe* 162
in-plane permeabiity: modeling for woven geotextiles *Ariadurai, Potluri, Whyte* 345
laser study of flow through: laser Doppler anemometry; influence of manufacturing process *Saidi, Dréan, Adolphe* 10
transmissivity behavior: layered needlepunched nonwovens *Hwang, Lu, Lin, Hwu, Hsing* 565

Ginning
effects on cotton fiber quality: fiber property variability continuum from motes through seeds *Davidonis, Johnson, Landivar, Hood* 754

Grafting
of polyester fibers: graft copolymerization with a fluorine-containing monomer *Louati, ElAchari, Ghenaim, Caze* 381

Hair
length and diameter of: characterizing single fibers with a profile meter *Longrée, Bernardin, Delfosse, Lemaire, Paquet, Knott* ... 352
Hairiness
of ring and rotor spun yarns: effect of test speed *Wang, Chang* ... 25
of worsted wool yarns: effect of test speed and twist level *Wang, Huang, Huang* ... 889
of yarn structure: assessing with image analysis, also thickness, twist *Cybulska* ... 369
Handle
fabric softeners: fundamental aspects of aminoalkyl siloxane softeners *Skinner, Qian, Grigoras, Halloran, Zimmerman* 935
fine Merino lamb's wool: physical properties and processing; effects of fiber curvature on flannel handle *Madeley, Postle* ... 576
from yarn quality parameters: indexing with a mechanical stylus *Peykamian, Rust* ... 394
improved with enzymes: effect of mechanical agitation *Radhakrishnaiah, Meng, Huang, Buschle-Diller, Walsh* 708
objective evaluation of: simple extraction method as related to physical and surface properties *Kim, Slaten* ... 59
of double weft knits: measuring and fuzzy predicting of total handle from mechanical properties *Park, Hwang* ... 19
of enzyme-treated cotton fabrics: bending and shear properties *Mori, Haga, Takagishi* ... 742
sanded and raised cottons: noncontact measurements by optical roughness meter *Bueno, Durand, Renner* ... 570
Heat Transfer
through-air fabric drying: analyzing convective heat and mass transfer *Ramaswamy, Cui* ... 776
Hemp
enzymatic hydrolysis of: structural changes in fibers from mixed enzyme systems *Buschle-Diller, Fanter, Loth* ... 244
High Volume Instrumentation
color grading of cotton: spectral and color image analysis *Duckett, Zapletalova, Cheng, Ghorashi, Watson* ... 876
cotton fineness and maturity: headspace resistance standards for Micromat tester *Montalvo, Faught* ... 269
maximizing yarn, fabric strength: variance of HVI elongation *Koo, Suh* ... 447
testing of slack fiber bundles: theory and application to HVI testing *Cui, Suh, Sasser* ... 497
Humidity
effect on air permeability: hygroscopic woven fabrics for protective clothing *Gibson, Rivin, Kendrick, Schreuder-Gibson* ... 311
Hydrolysis
enzymatic hydrolysis of: structural changes in fibers from mixed enzyme systems *Buschle-Diller, Fanter, Loth* ... 244

Image Analysis
color grading of cotton: spectral and color image analysis *Duckett, Zapletalova, Cheng, Ghorashi, Watson* ... 876
composite yarns: cross sections of poly/rayon composite yarns *Su, Leu, Chern* ... 203
fabric defect detection: joint transform correlation technique; theoretical basis and simulation *Goswami, Datta* ... 829
nonwoven fiber orientation: measuring with special lighting *Pourdeyhimi, Dent, Jerbi, Tanaka, Deshpande* ... 185
nonwoven fibrous architecture: evaluating with computer-assisted microscopy *Krucinska, Krucinski* ... 363
nonwoven web structure: flexible multifunction instrument for automated analysis *Yan, Bresee* ... 795
nonwovens: to measure fiber diameter distribution *Pourdeyhimi, Dent* ... 233
of fabric weave patterns: automatic recognition by digital image analysis *Kang, Kim, Oh* ... 77
of pore sizes in carpet: pore size distribution by liquid extrusion and optical microscopy *Zhou, Warner* ... 423
of seam pucker: evaluation by artificial intelligence; geometric modeling *Park, Kang* ... 735
pantyhose cloth luster: optical properties as analyzed by image analysis *Morooka, Wakashima, Matsumoto, Morooka* 68
PET/rayon composite yarns: fiber recognition and distribution *Chiu, Chen, Lee* ... 417
seam pucker: objective evaluation with artificial intelligence; new method with shape parameters *Park, Kang* ... 835
to evaluate crimp: fractal dimension *Kang, Lee, Chung, Lee* 527
to study geotextiles: nonwoven heat-bonded geotextiles *Thorr, Dréan, Adolphe* ... 162
wrinkle recovery: new objective method using 3-D projecting grid technique *Kang, Cho, Whang* ... 261
yarn structure: thickness, hairiness, twist *Cybulska* ... 369
Infrared
for analyzing wool/poly blends: comparing vibrational spectroscopic methods for analyzing *Church, O'Neill, Woodhead* ... 676
in carding dynamics: on-line measurement of 2-D fiber loading on card elements *Seyam, Meng, El-Shiekh* ... 155
IR absorption of fabrics: effect of moisture and fiber type *McFarland, Carr, Sarma, Dorrity* ... 607
performance of DP cotton: predicting with infrared spectroscopy *Wei, Yang* ... 145
Intermingling
air-jet nozzles for: effect of geometry on performance; nip frequency *Versteeg, Acar, Bilgin* ... 545

Keratin
aqueous diffusion in: pathways for *Swift* ... 152
aqueous diffusion in: pathways for *Leeder* ... 229
films from wool keratin: clarity of; environmental impacts *Pavlath, Houssard, Camirand, Robertson* ... 539
Kinetics
wool dyeing kinetics: acid dye on multiple layers of modified wool *Sasaki, Morikawa, Ito* ... 944
Knits
handle of double weft knits: measuring and fuzzy predicting of total handle from mechanical properties *Park, Hwang* 19
laundering of: changes in sensory and mechanical properties *Mackay, Anand, Bishop* ... 252
light transmittivity of circular knits: improved sheerness of pantyhose *Matsumoto, Shinohara, Takatera, Azuma, Morooka* ... 641
multiaxial warp knits: characterizing and modeling bending properties *Jiang, Hu, Ko* ... 691
silk and cotton knits: dimensional changes with laundering *Quaynor, Nakajima, Takahishi* ... 285
single-jersey knit fabric luster: 3-D analysis of specular reflection *Tao, Sirikasemlert* ... 43
specular reflection: effects of fabric parameters on luster in single-jersey knits *Sirikasemlert, Tao* ... 663

Laminates
fatigue of aramid nonwovens: behavior under hot press conditions; effect of stable base on mechanical properties *Watanabe, Miwa, Yokoi* ... 1
Lasers
for studying geotextiles: flow through textiles; influence of manufacturing process *Saidi, Dréan, Adolphe* ... 10

to evaluate seam puckering: objective evaluation with laser distance scanner *Fan, Lu, MacAlpine, Hui* 467
to evaluate wrinkle recovery: objective evaluation by laser sensor and neural networks *Kim* 860
Laundering
of rib knits: changes in sensory and mechanical properties *Mackay, Anand, Bishop* 252
of silk and cotton knits: dimensional changes *Quaynor, Nakajima, Takahishi* 285
Light Phenomena
specular reflection of knits: 3-D analysis to determine luster of single-jersey *Tao, Sirikasemlert* 43
transmittivity of circular knits: improved sheerness of pantyhose *Matsumoto, Shinohara, Takatera, Azuma, Morooka* 641
Lightfastness
of reactive dyes on cotton: peculiarities of fading behavior in binary mixtures *Nandy* 16
Linen
plasma treatment of: low temperature plasma dry processing *Wong, Tao, Yuen, Yeung* 846
Liposomes
dyeing of wool yarns: optimizing with commericially available liposomes *Coderch, Manich, Marti, de la Maza, Parra, Serra* 789
Luster
in single-jersey knits: effects of fabric parameters on specular reflection *Sirikasemlert, Tao* 663
light transmittivity of circular knits: improved sheerness of pantyhose *Matsumoto, Shinohara, Takatera, Azuma, Morooka* 641
of single-jersey knits: 3-D analysis of specular reflection *Tao, Sirikasemlert* 43
pantyhose cloth: optical properties as analyzed by image analysis *Morooka, Wakashima, Matsumoto, Morooka* .. 68

Mathematical Modeling
air flow through wet fabrics: flow at high differential pressures *Belkacemi, Broadbent* 52
carded web density: neural network controller design *Kuo, Wang, Hsieh* 401
carded web density: theoretical control and experimental verification; pole placement design *Kuo, Liu* 237
carpet color: relationship between yarn color and carpet color *Bernard, Vanderhaeghen, Kiekens* 552
color grading of cotton: spectral and color image analysis *Duckett, Zapletalova, Cheng, Ghorashi, Watson* 876
creep behavior: modified nonlinear equation for wovens and nonwovens *Cui, Wang* 931
dyeing kinetics: acid dye on multiple layers of modified wool *Sasaki, Morikawa, Ito* 944
dye-surfactant interactions: studied with Job's method of continuous variations *Tavčer, Špan* 278
fabric bagging: objective evaluation and physical mechanism *Zhang, Li, Yeung, Yao* 598
fabric defect detection: joint transform correlation technique; theoretical basis and simulation *Goswami, Datta* 829
fabric deformation: dynamic considerations and experimental implementation of on-line measuring *Zhou, Ghosh* 176
fabric drape dynamics: model of buckling and folding *Postle, Postle* 623
fiber length changes in spinning: based on AFIS measurements of cotton fibers *Żurek, Greszta, Frydrych, Balcar* 804
in-plane permeability: woven geotextiles *Ariadurai, Potluri, Whyte* 345
multiaxial warp knits: characterzing and modeling bending and buckling *Jiang, Hu, Ko* 691
nonwoven fiber orientation: effect on characteristics; finite element method *Adanur, Liao* 816
of fabric finishing: dynamics of tension and line speed control *Huang, Soong* 714
of geotextile damage tolerance: parameter for comparing in stressed plain weave fabrics *Godfrey, Rossettos* 503
of loom scheduling: maximizing loom utilization with computer based scheduler *Chen, Harlock* 431
orthogonal, angle-interlock structures: CAD/CAM for industrial applications *Chen, Potiyaraj* 648
polypropylene viscoelasticity: influence of mass dope dyeing and fiber fineness *Manich, Ussman, Barella* 325
reactive dye fastness: using Kubelka-Munck relationship to calculate *Convert, Schacher, Viallier* 357
seam puckering: objective evaluation with laser distance scanner *Fan, Lu, MacAlpine, Hui* 467
simulated fabric drape: deformation behavior of flexural fabrics *Fischer, Krzywinski, Rödel, Schenk, Ulbricht* ... 331
simulated filtration flow: through and around textile fibers *Berton, Sigli* 318
sound-proofing nonwovens: model for calculating noise absorption capacity of webs *Shoshani, Yakubov* 519
specular reflection in knits: effects of fabric parameters on luster in single-jersey knits *Sirikasemlert, Tao* 663
specular reflection of knits: 3-D analysis to determine luster of single-jersey knits *Tao, Sirikasemlert* 43
spherical deformation: new apparatus, method, and algorithm *Kisilak* 908
through-air fabric drying: analyzing convective heat and mass transfer *Ramaswamy, Cui* 776
water vapor sorption in wool: improved simulation of coupled diffusion of moisture and heat *Li, Luo* 760
wool/water isotherm: application of polymer absorption model *Pierlot* 97
wrinkle recovery: new objective method using 3-D projecting grid technique *Kang, Cho, Whang* 261
yarn structure: thickness, hairiness, twist *Cybulska* 369
yarn tensile testing: new apparatus and method for testing at high strain rates *Freyburger, Dréan, Madrolle, Marques, Silva* 220
yarn unwinding: steady-state unwinding from cylindrical packages *Kong, Rahn, Goswami* 292
Mechanical Properties
measuring fabric properties: experimental methods of simultaneous measurements *Bassett, Postle, Pan* 866
of weft knits: measuring and fuzzy predicting of total handle from mechanical properties *Park, Hwang* 19
Membranes
vibrations of textile surfaces: propagation mechanisms for transverse vibrations; membrane theory *Aubry, Postle, Renner* 335
Microscopy
to differentiate animal fibers: light and SEM methods for goat and antelope fibers *Rollins, Hall* 856
Moisture Phenomena
water in wool: application of polymer absorption model *Pierlot* 97
Moisture Regain
effect on IR absorption: effect of moisture and fiber type *McFarland, Carr, Sarma, Dorrity* 607
Moisture Transfer
heat of wetting of rayon, cotton: effect of fiber structure *Mizutani, Tsujii, Bertoniere* 559
in clothing during wear: moisture sorption and transport; comments on *Berger* 463
in clothing during wear: moisture sorption and transport; reply to comments *Barnes, Holcombe* 464
through waterproof textiles: effect of film characteristics on microclimate moisture and temperature *Kim* 193
Moisture Transport
water vapor sorption in wool: improved simulation of coupled diffusion of moisture and heat *Li, Luo* 760

Molecular Modeling
of disperse dyes: equilibrium geometries *Lye, Freeman, Hinks* 583
of fabric softeners: fundamental aspects of aminoalkyl siloxane softeners *Skinner, Qian, Grigoras, Halloran, Zimmerman* 935

Needlepunching
nonwoven geotextiles: transmissivity behavior of layered needlepunched geotextiles *Hwang, Lu, Lin, Hwu, Hsing* 565
Neural Networks
color grading of cotton: expert system and neural networks *Cheng, Ghorashi, Duckett, Zapletalova, Watson* 893
for measuring cotton trash: clustering analysis for trash classification *Xu, Fang, Watson* 656
predicting fabric performance: predictions based on fabric mechanical properties for garment manufacturing *Gong, Chen* 477
to control carded web density: neural network controller design *Kuo, Wang, Hsieh* 401
to evaluate seam puckering: objective evaluation with artificial intelligence; new method with shape parameters *Park, Kang* 835
to evaluate wrinkle recovery: objective evaluation by laser sensor and neural networks *Kim* 860
Noise Reduction
sound-proofing nonwovens: model for calculating noise absorption capacity *Shoshani, Yakubov* 519
Nonwovens
carding dynamics: fiber distribution and movement in webs *Meng, Seyam, Batra* 90
creep behavior: modified nonlinear equation: also wovens *Cui, Wang* 931
failure analysis: computerized analysis based on fiber failure criterion *Liao, Adanur* 489
fatigue of aramid nonwovens: behavior under hot press conditions; effect of stable base on mechanical properties *Watanabe, Miwa, Yokoi* 1
fiber diameter distribution: image analysis to measure *Pourdeyhimi, Dent* 233
fiber orientation in: effect on characteristics; finite element method *Adanur, Liao* 816
fiber orientation in: measuring by image analysis and special lighting *Pourdeyhimi, Dent, Jerbi, Tanaka, Deshpande* 185
fibrous architecture of: evaluating with computer-assisted microscopy *Krucinska, Krucinski* 363
flameproofing of: flame-retardant fiber/intumescent combinations; nature of char *Kandola, Horrocks* 374
flow through geotextiles: laser Doppler anemometry; influence of manufacturing process *Saidi, Dréan, Adolphe* .. 10
heat-bonded geotextiles: image analysis tools to study *Thorr, Dréan, Adolphe* 162
humidity-dependent permeability: hygroscopic woven fabrics for protective clothing *Gibson, Rivin, Kendrick, Schreuder-Gibson* 311
irregularity of: evaluating with Linnik functional statistical technique *Cherkassky* 701
point bonded polypropylene: influence of fiber structure on properties; thermal point bonding *Dharmadhikary, Davis, Gilmore, Batra* 725
protective finishes for: antimicrobial and blood repellent finishes for cotton and nonwovens *Lee, Cho, Cho* 104
sound proofing webs: model for calculating noise absorption capacity *Shoshani, Yakubov* 519
transmissivity behavior: layered needlepunched geotextiles *Hwang, Lu, Lin, Hwu, Hsing* 565
web structure analysis: flexible multifunction instrument for automated analysis *Yan, Bresee* 795

Nylon
pantyhose cloth luster: optical properties as analyzed by image analysis *Morooka, Wakashima, Matsumoto, Morooka* 68
pore sizes in carpet: pore size distribution by liquid extrusion and optical microscopy *Zhou, Warner* 423
thermal processing: effective temperature of fibers during processing *Roldán, Pereira* 339

Optics
color grading of cotton: expert system and neural networks *Cheng, Ghorashi, Duckett, Zapletalova, Watson* 893
light transmittivity of circular knits: improved sheerness of pantyhose *Matsumoto, Shinohara, Takatera, Azuma, Morooka* 641
sanded and raised cottons: noncontact measurements by optical roughness meter *Bueno, Durand, Renner* 570
specular reflection: effects of fabric parameters on luster in single-jersey knits *Sirikasemlert, Tao* 663
to detect fabric defects: joint transform correlation technique; theoretical basis and simulation *Goswami, Datta* 829
to measure carpet color: relationship between yarn color and carpet color *Bernard, Vanderhaeghen, Kiekens* 552
to measure fiber orientation: image analysis of nonwovens with special lighting *Pourdeyhimi, Dent, Jerbi, Tanaka, Deshpande* 185
to study geotextiles: image analysis of heat-bonded nonwovens *Thorr, Dréan, Adolphe* 162
to study pantyhose luster: analyzed by image analysis *Morooka, Wakashima, Matsumoto, Morooka* 68
Orientation
in nonwovens: image analysis and special lighting *Pourdeyhimi, Dent, Jerbi, Tanaka, Deshpande* 185
of nonwoven fibers: fiber arrangement and effect on characteristics *Adanur, Liao* 816

Paper
towel and tissue production: analyzing convective heat and mass transfer in through-air fabric drying *Ramaswamy, Cui* 776
Permeability
of waterproof textiles: effect of film characteristics on microclimate moisture and temperature *Kim* 193
Photometrics
in carding dynamics: on-line measurement of 2-D fiber loading on card elements *Seyam, Meng, El-Shiekh* 155
Plasma
for grafting fabrics: surface resistivity behavior of cotton and polyester fabrics *Bhat, Benjamin* 38
for shrinkproofing wool: low temperature plasmas; effect of nature of gas *Kan, Chan, Yuen, Miao* 407
shrinkproofing with plasma: low temperature plasma and chitosan biopolymer treatments *Erra, Molina, Jocic, Julia, Cuesta, Tascon* 811
to treat flax: low temperature plasma dry processing *Wong, Tao, Yuen, Yeung* 846
Polyester
air flow through wet fabrics: flow at high differential pressures *Belkacemi, Broadbent* 52
air-jet spun blended yarns: structure of cotton and polyester wrappers *Bhortakke, Nishimura, Matsuo* 84
bagging of: subjective perception and psychophysical mechanism *Zhang, Li, Yeung, Yao* 511
friction spinning of: spinning limits of DREF III system; effects of machine and yarn parameters *Aydogmus, Behery* 925
graft copolymerization of: fluorine-containing monomer *Louati, ElAchari, Ghenaim, Caze* 381

handle of flameproofed fabrics: simple extraction method as related to physical and surface properties *Kim, Slaten* .. 59
nonwoven failure analysis: computerized analysis based on fiber failure criterion *Liao, Adanur* 489
nonwoven geotextiles: transmissivity behavior of layered needlepunched geotextiles *Hwang, Lu, Lin, Hwu, Hsing* 565
PET/PP core/shell fibers: confocal Raman microscopy to determine structure and orientation of PET interior *Natarajan, Michielsen* 903
PET/rayon composite yarns: fiber recognition and distribution by image analysis *Chiu, Chen, Lee* 417
plasma treated and grafted: surface resistivity behavior of cotton and polyester fabrics *Bhat, Benjamin* 38
poly/rayon composite yarns: image analysis of cross sections *Su, Leu, Chern* 203
predicting fabric performance: predictions based on fabric mechanical properties for garment manufacturing *Gong, Chen* 477
protective finishes for: antimicrobial and blood repellent finishes for cotton and nonwovens *Lee, Cho, Cho* 104
seam puckering in: effects of sewing parameters on seam pucker; artificial intelligence *Park, Kang* 919
spherical deformation: new apparatus, method, and algorithm *Kisilak* 908
tensile testing of: new apparatus and method for testing at high strain rates *Freyburger, Dréan, Madrolle, Marques, Silva* 220
thermal decomposition of: fabrics treated with bromine-containing compound *Kubokawa, Tsunesada, Hatakeyama* 121
thermal processing: effective temperature of fibers during processing *Roldán, Pereira* 339
uniformity of drafted roving: fine denier polyester and rayon fibers; draft ratio *Su* 630
wool/polyester blends: comparing vibrational spectroscopic methods for analyzing *Church, O'Neill, Woodhead* 676

Polymerization
maleic, itaconic acid crosslinking: *in-situ* polymerization *Yang, Lu* 782
of polyester fibers: graft copolymerization with a fluorine-containing monomer *Louati, ElAchari, Ghenaim, Caze* 381

Polypropylene
bonded nonwovens: influence of fiber structure on properties; thermal point bonding *Dharmadhikary, Davis, Gilmore, Batra* 725
IR absorption of fabrics: effect of moisture and fiber type *McFarland, Carr, Sarma, Dorrity* 607
nonwoven fabric irregularity: evaluating with Linnik functional statistical technique *Cherkassky* 701
viscoelastic behavior of fibers: influence of mass dope dyeing and fiber fineness *Manich, Ussman, Barella* 325

Porosity
in carpets: pore size distribution by liquid extrusion and optical microscopy *Zhou, Warner* 423
of hydrolyzed hemp: structural changes in fibers from mixed enzyme systems *Buschle-Diller, Fanter, Loth* 244
of waterproof textiles: effect of film characteristics on microclimate moisture and temperature *Kim* 193
of woven geotextiles: modeling in-plane permeability *Ariadurai, Potluri, Whyte* 345
simulated filtration flow: through and around textile fibers *Berton, Sigli* 318

Puckering
in garment seams: objective evaluation with laser distance scanner *Fan, Lu, MacAlpine, Hui* 467
objective evaluation of: artificial intelligence; geometric modeling of seam pucker *Park, Kang* 735
objective evaluation of: effects of sewing parameters on seam pucker; artificial intelligence *Park, Kang* 919
objective evaluation: with artificial intelligence; new method with shape parameters *Park, Kang* 835

Rayon
flameproofing of: flame-retardant fiber/intumescent combinations; nature of char *Kandola, Horrocks* 374
heat of wetting: effect of fiber structure; also cotton fibers *Mizutani, Tsujii, Bertoniere* 559
PET/rayon composite yarns: fiber recognition and distribution by image analysis *Chiu, Chen, Lee* 417
poly/rayon composite yarns: image analysis of cross sections *Su, Leu, Chern* 203
uniformity of drafted roving: fine denier polyester and rayon fibers; draft ratio *Su* 630

Reflectance
pantyhose cloth: optical properties as analyzed by image analysis *Morooka, Wakashima, Matsumoto, Morooka* .. 68
specular reflection in knits: effects of fabric parameters on luster in single-jersey knits *Sirikasemlert, Tao* 663
to analyze fabric weave patterns: automatic recognition by digital image analysis *Kang, Kim, Oh* 77

Reinforcement Fibers
carbon fibers for composites: tangential bobbin creel for fiber placement *Hoersting, Wienands* 389

Retting
of flax fibers with enzymes: alternative to dew retting *Akin, Rigsby, Perkins* 747

Rupture
of cotton fibers: acoustic emission and tensile properties from cotton bundle tests *Velu, Ellison, Dai, Rogers* 616

Rupture Theory
damage tolerance of geotextiles: parameter for comparing in stressed plain weave fabrics *Godfrey, Rossettos* 503
nonwoven failure analysis: computerized analysis based on fiber failure criterion *Liao, Adanur* 489

Scouring
with proteases: improved wetting behavior of cotton fabrics *Hsieh, Cram* 590

Sewing
seam puckering: effects of sewing parameters on seam pucker; artificial intelligence *Park, Kang* 919
seam puckering: evaluation by artificial intelligence; geometric modeling *Park, Kang* 735
seam puckering: objective evaluation with artificial intelligence; new method with shape parameters *Park, Kang* . 835
seam puckering: objective evaluation with laser distance scanner *Fan, Lu, MacAlpine, Hui* 467

Shear
measuring fabric properties: experimental methods of simultaneous measurements *Bassett, Postle, Pan* 866
of enzyme-treated cotton fabrics: bending and shear properties *Mori, Haga, Takagishi* 742

Shrinkproofing
low temperature plasma on wool: effect of nature of gas *Kan, Chan, Yuen, Miao* 407
of wool with epoxides: penetration and effect on shrink resistance *Ito, Sasaki, Tsuji, Kohjiya* 473
of wool with plasma: low temperature plasma and chitosan biopolymer treatments *Erra, Molina, Jocic, Julia, Cuesta, Tascon* 811

Silk
dyeing behavior of proteins: related to silkworm diet *Ito, Sasaki, Imamura, Mori, Matsubara* 825
glucose oxidase in fibers: immobilizing in Tussah fibers *Kawahara* 151
silk and cotton knits: dimensional changes with laundering *Quaynor, Nakajima, Takahishi* 285
transverse long period: wet swollen fibers *Kawahara, Shioya* 791

Softeners
molecular modeling of: fundamental aspects of aminoalkyl siloxane softeners *Skinner, Qian, Grigoras, Halloran, Zimmerman* 935
Soil Release
dust in carpets: measuring resuspension of dust indoors *Kildesø, Vinzents, Schneider, Kloch* 169
Sorption
cotton and regenerated cellulose: effect of fiber structure on heat of wetting *Mizutani, Tsujii, Bertoniere* 559
in clothing during wear: moisture sorption and transport; comments on *Berger* 463
in clothing during wear: moisture sorption and transport; reply to comments *Barnes, Holcombe* 464
IR absorption of fabrics: effects of moisture and fiber type *McFarland, Carr, Sarma, Dorrity* 607
of aramid fibers: carrier effect in *m*-aramid fiber/cationic dye/benzyl alcohol system *Nechwatal, Rossbach* 635
of water in wool: application of polymer absorption model *Pierlot* 97
water vapor sorption in wool: improved simulation of coupled diffusion of moisture and heat *Li, Luo* 760
Spinning
air-jet spun blended yarns: structure of cotton and polyester wrappers *Bhortakke, Nishimura, Matsuo* 84
air-jet twisting in: open-end spinning *Yu* 535
cotton fiber length changes in: based on AFIS measurements *Żurek, Greszta, Frydrych, Balcar* 804
friction spinning: yarn tail structure *Kato, Konda, Okamura, Merati, Saeki* 214
limits of DREF III friction spinning: effects of machine and yarn parameters on spinning polyester *Aydogmus, Behery* 925
PET/PP core/shell fibers: confocal Raman microscopy to determine structure and orientation of PET interior *Natarajan, Michielsen* 903
ring and rotor spun yarns: effect of test speed on yarn hairiness *Wang, Chang* 25
simulating cone winding: mechanism with constant rate of yarn delivery system *Porat, Greenwood, Bandukda* 113
uniformity of drafted roving: fine denier polyester and rayon fibers; draft ratio *Su* 630
Static Electricity
in cotton and polyester fabrics: surface resistivity behavior of cotton and polyester fabrics *Bhat, Benjamin* 38
Statistical Techniques
color grading of cotton: expert system and neural networks *Cheng, Ghorashi, Duckett, Zapletalova, Watson* 893
for measuring cotton trash: clustering analysis for trash classification *Xu, Fang, Watson* 656
for testing slack fiber bundles: theory and application to HVI testing *Cui, Suh, Sasser* 497
to control dyeing: dye concentration, pH, and temperature with fuzzy control *Huang, Yu* 914
to determine yarn hairiness: effect of test speed and twist level on hairiness of worsted yarns *Wang, Huang, Huang* 889
to evaluate seam pucker: effects of sewing parameters on seam pucker; artificial intelligence *Park, Kang* 919
to measure handle of knits: measuring and fuzzy predicting of total handle from mechanical properties *Park, Hwang* 19
to measure handle: simple extraction method as related to physical and surface properties *Kim, Slaten* 59
to rate nonwoven irregularity: evaluating with Linnik functional statistical technique *Cherkassky* 701
Strain
tensile testing: new apparatus and method for testing at high strain rates *Freyburger, Dréan, Madrolle, Marques, Silva* 220
Stress
fabric spherical deformation: new apparatus, method, and algorithm *Kisilak* 908
Stress-Strain
damage tolerance of geotextiles: parameter for comparing in stressed plain weave fabrics *Godfrey, Rossettos* 503
measuring fabric properties: experimental methods of simultaneous measurements *Bassett, Postle, Pan* 866
Surfactants
dye decoloration by bleaching: effect of surfactants on peroxide agents *Tokuda, Ohura, Nango* 456
dye-surfactant interactions: studied with Job's method of continuous variations *Tavčer, Špan* 278

Tensile Properties
new apparatus for testing: high strain rates *Freyburger, Dréan, Madrolle, Marques, Silva* 220
nonwoven tensile behavior: fiber arrangement and effect on characteristics; finite element method *Adanur, Liao* 816
of blended cotton yarns: low and high tenacity fibers; structure-property relationship *Anandjiwala, Goswami, Bragg, Bargeron* 129
of cotton fiber bundles: acoustic emission and tensile properties from cotton bundle tests *Velu, Ellison, Dai, Rogers* 616
of PpPOT and PPTA fibers: tensile and uniaxial fatigue; relationship with chain orientation *Ferreira, Lam, Labache, Delvael* 30
testing of slack fiber bundles: theory and application to HVI testing *Cui, Suh, Sasser* 497
Tension
in unwinding of yarn: steady-state unwinding from cylindrical packages *Kong, Rahn, Goswami* 292
Thermal Analysis
of flame retardant cellulose: apparent activation energy of thermal degradation *Nakanishi, Morikawa, Hashimoto* 208
of flameproofed polyester: thermal decomposition of fabrics treated with bromine-containing compound *Kubokawa, Tsunesada, Hatakeyama* 121
of textile processing: effective temperature of fibers during processing *Roldán, Pereira* 339
Twist
air-jet twisting: in open-end spinning *Yu* 535
friction spinning of yarns: yarn tail structure *Kato, Konda, Okamura, Merati, Saeki* 214
hairiness of worsted yarns: effect of test speed and twist level *Wang, Huang, Huang* 889
intermingling of filament yarns: effect of geometry on performance of intermingling nozzles; nip frequency *Versteeg, Acar, Bilgin* 545
of yarn structure: assessing with image analysis, also thickness, hairiness *Cybulska* 369

Vibration
of textile surfaces: propagation mechanisms for transverse vibrations; membrane theory *Aubry, Postle, Renner* ... 335

Water Repellency
of wool: application of polymer absorption model *Pierlot* .. 97
Waterproofing
breathable waterproof film: effect of film characteristics on microclimate moisture and temperature *Kim* 193
of polyester fibers: graft copolymerization with a fluorine-containing monomer *Louati, ElAchari, Ghenaim, Caze* 381
Weaving
CAD/CAM of woven structures: orthogonal and angle-interlock woven structures for industrial applications *Chen, Potiyaraj* 648
computer based scheduler: maximizing loom utilization *Chen, Harlock* 431

fabric weave patterns: automatic recognition by digital image analysis *Kang, Kim, Oh* 77
Webbing
bonded polypropylene nonwovens: influence of fiber structure on properties; thermal point bonding *Dharmadhikary, Davis, Gilmore, Batra* 725
carded web density: neural network controller design *Kuo, Wang, Hsieh* 401
carded web density: theoretical control and experimental verification; pole placement design *Kuo, Liu* 237
carding dynamics of: fiber distribution and movement in nonwoven webs *Meng, Seyam, Batra* 90
carding dynamics of: on-line measurement of 2-D fiber loading on card elements *Seyam, Meng, El-Shiekh* 155
nonwoven web structure: flexible multifunction instrument for automated analysis *Yan, Bresee* 795
Wettability
of protease scoured cotton: improved wetting behavior *Hsieh, Cram* 590
Winding
simulating cone winding: mechanism with constant rate of yarn delivery system *Porat, Greenwood, Bandukda* 113
unwinding of yarn: steady-state unwinding from cylindrical packages *Kong, Rahn, Goswami* 292
Wool Fabrics
acid dye on modified wool: dyeing kinetics in multiple fabric layers *Sasaki, Morikawa, Ito* 944
air flow through wet fabrics: flow at high differential pressures *Belkacemi, Broadbent* 52
bagging of: objective evaluation and physical mechanism *Zhang, Li, Yeung, Yao* 598
bagging of: subjective perception and psychophysical mechanism *Zhang, Li, Yeung, Yao* 511
IR absorption of fabrics: effect of moisture and fiber type *McFarland, Carr, Sarma, Dorrity* 607
laundering of rib knits: changes in sensory and mechanical properties *Mackay, Anand, Bishop* 252
shrinkproofing with plasma: low temperature plasma and chitosan biopolymer treatments *Erra, Molina, Jocic, Julia, Cuesta, Tascon* 811
spherical deformation of: new apparatus, method, and algorithm *Kisilak* 908
vibrations of textile surfaces: propagation mechanisms for transverse vibrations; membrane theory *Aubry, Postle, Renner* 335
water vapor sorption in: improved simulation of coupled diffusion of moisture and heat *Li, Luo* 760
wool/polyester blends: comparing vibrational spectroscopic methods for analyzing *Church, O'Neill, Woodhead* 676
Wool Fibers
cuticle scale heights of: changes in wool and specialty fibers due to processing *Wortmann, Phan* 139
dye diffusion in: pathways for *Rippon* 307
dyeing of wool yarns: optimizing with commericially available liposomes *Coderch, Manich, Marti, de la Maza, Parra, Serra* 789
films from wool keratin: clarity of; environmental impacts *Pavlath, Houssard, Camirand, Robertson* 539
fine Merino lamb's wool: physical properties and processing; effects of fiber curvature on flannel handle *Madeley, Postle* 576
hairiness of worsted yarns: effect of test speed and twist level *Wang, Huang, Huang* 889
length and diameter of: characterizing single fibers with a profile meter *Longrée, Bernardin, Delfosse, Lemaire, Paquet, Knott* 352
scale heights of: changes due to textile processing; reply to comments *Tucker* 698
shrinkproofing with epoxides: penetration and effect on shrink resistance *Ito, Sasaki, Tsuji, Kohjiya* 473
shrinkproofing with plasmas: low temperature plasmas; effect of nature of gas *Kan, Chan, Yuen, Miao* 407
water in: wool/water isotherm *Pierlot* 97
Wrinkle Recovery
image anlaysis of: new objective method using 3-D projecting grid technique *Kang, Cho, Whang* 261
objective evaluation: laser sensor and neural networks *Kim* 860

X-Ray Diffraction
to study thermal processing: effective temperature of fibers during processing *Roldán, Pereira* 339
X-Rays
small angle: transverse long period in wet silk fibers *Kawahara, Shioya* 791

Yarn Properties
friction spinning of polyester: spinning limits of DREF III system; effects of machine and yarn parameters *Aydogmus, Behery* 925
Yarns
air-jet twisted: open-end spinning *Yu* 535
friction spinnng of: yarn tail structure *Kato, Konda, Okamura, Merati, Saeki* 214
handle of: yarn quality indexing with a mechanical stylus *Peykamian, Rust* 394
intermingling of: effect of geometry on performance of intermingling nozzles; nip frequency *Versteeg, Acar, Bilgin* 545
maximizing yarn, fabric strength: variance of HVI elongation *Koo, Suh* 447
tensile testing of: new apparatus and method for testing at high strain rates *Freyburger, Dréan, Madrolle, Marques, Silva* 220
yarn structure: image analysis of thickness, hairiness, twist *Cybulska* 369
Yellowing
cotton crosslinked with citric acid: catalysis to prevent *Lu, Yang* 685